
Adding and Deleting Volumes

Adding Volumes

Method 1

To add a Volume, right-click on a Media Type and select "Add Volume".



Method 2


Press the Insert key on the keyboard when viewing the Volume List.

Edit New Volume		×
Datasets Identity	Attributes VeriScore DR Strategies Options Target Location Current Location Scanned Location Not	Catalog tes 16 History
Volume Attributes		
Customer-ID	US02 Los Angeles Data Center	
Media-ID	LTO Cartridge	
Volume-ID	000123L6	
	000123L6	

Last update: 2025/01/21 22:07

Method 3


Utilize the Volume Serial Building tool located in the Media Type Properties Window.



Method 4

Right-Click in the Volume List, navigate to Special Operations, and select "Scan to Add Volumes" to use a Barcode scanner to add Volumes.


https://rtfm.tapetrack.com/ Printed on 2025/12/01 14:45



Deleting Volumes

To delete a Volume Allow Deletes must be set to True for the repository the relevant Volume is residing in. To enable this right click on the Repository and select Properties






Under the Options tab, set **Allow Deletes** to True and Save.




Set **Allow Deletes** back to False when finished removing required volumes to stop accidental deletion of any other volumes.



Select a volume or range select a group of volumes. Right-click and select Delete. A Delete Confirmation window will be displayed. Select Delete this Item or The volume will now be deleted from the database. To delete multiple Volumes, select the volumes in the Volume List, Right-click, and select Delete Volume. Then select Delete All Items".

https://rtfm.tapetrack.com/ Printed on 2025/12/01 14:45





If a deleted Volume is added back in to the database, all it's history will remain.

From:

https://rtfm.tapetrack.com/ - TapeTrack Documentation

Permanent link:

https://rtfm.tapetrack.com/master/volumes?rev=1504908524

Last update: 2025/01/21 22:07

