


Adding and Deleting Volumes


Adding Volumes

Method 1

To add a Volume, right-click on a Media Type and select Add Volume or press Insert on the keyboard when viewing the Volume List.




In the Edit new volume window enter the volume ID of the new volume to be added and click Save.



Method 2

Utilize the Volume Serial Building tool located in the Media Type Properties Window.

Right click the media type that you want to add volumes to and select Properties.




In the Edit media widow click the Volume-ID Building tab. Press the **insert** key or right click in the upper window and select **Before** or **After** depending on where you need the next range inserted. Repeat this process until you have enough ranges to create the barcodes you require. The ranges can be edited to encompass a range of numbers, letters or characters, or they can be set to one value.

Once you have built the required volume ID's, select the range required in the lower window. Right click the highlighted range and select Add to add the volumes to the default repository or Add to and select the required repository.




Method 3

Right-Click in the Volume List, navigate to Special Operations, and select "Scan to Add Volumes" to use a Barcode scanner to add Volumes.



Deleting Volumes


To delete a Volume Allow Deletes must be set to True for the repository the relevant Volume is residing in. To enable this right click on the Repository and select Properties



Under the Options tab, set **Allow Deletes** to True and Save.




Set **Allow Deletes** back to False when finished removing required volumes to stop accidental deletion of any other volumes.




Select a volume or select a group of volumes. Right-click and select Delete. A Delete Confirmation window will be displayed. Select Delete this Item or The volume will now be deleted from the database.

To delete multiple Volumes, select the volumes in the Volume List, Right-click, and select Delete. Then select Delete All Items.



The screenshot shows the 'Volumes' section of the TapeTrack interface for the 'Nashville Data Center' using 'LTO Cartridge'. A table lists volume records with columns for ID, Current Location, Target Location, Flags, Move Time, Due in, Container, and Next Move. A context menu is open over the first row, with 'Delete' selected. The table data is as follows:

ID	Current Location	Target Location	Flags	Move Time	Due in	Container	Next Move
000001T.3	Library		CnN		Unspecified	Unassigned	Permanent
00	Library		CDMnNt	D1:01:06:49	Unspecified	Unassigned	Tuesday,
00			CnNtZ		Unspecified	Unassigned	Permanent
00			CnNtZ		Unspecified	Unassigned	Permanent
00	Library		CMnNtZ	D4:03:08:46	Unspecified	Unassigned	Permanent
00			CnN		Unspecified	Unassigned	Permanent
00			CnNt		Unspecified	Unassigned	Permanent
00			CnNOT		Unspecified	Unassigned	Permanent
00			CnNOT		Unspecified	Unassigned	Permanent
00	Library		CMnNZ	D4:03:08:46	Unspecified	Unassigned	Permanent
00	Library		CMnZ	D4:03:08:46	Unspecified	Unassigned	Permanent
00	Library		CMnZ	D4:03:08:46	Unspecified	Unassigned	Permanent
00	Library		CMnZ	D4:03:08:46	Unspecified	Unassigned	Permanent
00	Library		CMnZ	D4:03:08:46	Unspecified	Unassigned	Permanent

 If a deleted Volume is added back in to the database, all it's history will remain.

From:
<https://rtfm.tapetrack.com/> - **TapeTrack Documentation**

Permanent link:
<https://rtfm.tapetrack.com/master/volumes?rev=1505779663>

Last update: **2025/01/21 22:07**

