


Adding and Managing Volumes


Adding Volumes

Method 1

To add a Volume, right-click on a Media Type and select Add Volume or press Insert on the keyboard when viewing the Volume List.




In the Edit new volume window enter the volume ID of the new volume to be added and click Save.



Method 2

Utilize the Volume Serial Building tool located in the Media Type Properties Window.


Right click the media type that you want to add volumes to and select Properties.



In the Edit media widow click the Volume-ID Building tab. Press the **insert** key or right click in the upper window and select **Before** or **After** depending on where you need the next range inserted.

Repeat this process until you have enough ranges to create the barcodes you require. The ranges can be edited to encompass a range of numbers, letters or characters, or they can be set to one value.

Once you have built the required volume ID's, select the range required in the lower window. Right click the highlighted range and select Add to add the volumes to the default repository or Add to and select the required repository.



Scan to Add Volumes

Right-Click in the Volume List, navigate to Special Operations, and select "Scan to Add Volumes" to use a Barcode scanner to add Volumes to your default repository.

The screenshot shows the 'Volumes' section of the TapeTrack interface. A context menu is open over a volume entry. The 'Scan' option under 'Special Operations' is selected, and its sub-menu 'Scan to Add Volumes' is highlighted with a blue box and a mouse cursor.

ID	Current Location	Target Location	Flags	Move Time	Due in	Container	Next Move
0000001L6	Library		Cn	Unspecified	Unassigned	Permanent	
00	Add		CEnNX	Unspecified	Unassigned	Permanent	
00	Delete		aCEnQS	Unspecified	Unassigned	Permanent	
00	Edit		CDEnu	Unspecified	Unassigned	Permanent	Thursday, August 17, 2023
00	Export		CFhnNt	Unspecified	Unassigned	Permanent	
00	Find				Unassigned	Permanent	
00	Favorites				Unassigned	Permanent	
00	Print				Unassigned	Permanent	
00	Properties				Unassigned	Permanent	
00	Select				Unassigned	Permanent	
00	Special Operations				Unassigned	Permanent	
00	View				Unassigned	Permanent	
000014L6	Library				Unassigned	Permanent	
000015L6	Library				Unassigned	Permanent	
000016L6	Library				Unassigned	Permanent	


To add volumes to a repository other than your default, right click the required repository and select Scan → To Add and scan volumes to be added.

The screenshot shows the 'Repositories' section of the TapeTrack interface. A context menu is open over a repository entry. The 'Scan' option under 'Scan' is selected, and its sub-menu 'To Add' is highlighted with a blue box and a mouse cursor.

0000001L6	L	Add	Unspecified	Unassigned	Permanent
000001L6	L	Delete	Unspecified	Unassigned	Permanent
000002L6	L	Edit	Unspecified	Unassigned	Permanent
000003L6	L	Generate Certificate	Unspecified	Unassigned	Permanent
000004L6	L	Make Default Repository	Unspecified	Unassigned	Permanent
000005L6	L	Manage	Unspecified	Unassigned	Permanent
000006L6	L	Properties	Unspecified	Unassigned	Permanent
000007L6	L	Scan	Unspecified	Unassigned	Permanent
000008L6	L	To Add	Unspecified	Unassigned	Permanent
List contains 327 records					
Repositories					
Offsite Vault	Library	Size	To Scan-In		
		View Repository Usage Map	To Scan-Out		
		Visibility	To Move		

Deleting Volumes

To delete a Volume **Allow Deletes** must be set to True for the repository the relevant Volume is residing in. To enable this right click on the Repository and select **Properties** or double click the repository.



Under the Options tab, set **Allow Deletes** to True and Save.



Set **Allow Deletes** back to False when finished removing required volumes to stop accidental deletion of any other volumes.

Edit Repository: Library

Identity Zones Slot Usage Options Usage History Movement History Certification

GUIDs

Local	55533033-0000-0000-4c54-4f004c494252
Remote	00000000-0000-0000-0000-000000000000
Allowable Volume-IDs	
Type	Library
Scratch Mode	No Change
Scratch Priority	0
Offsite	False
Primary	False
No Distribution	False
Internal	False
Sort Sequence	0
Force Simple Management	False
No Next Repository	True
Allow Deletes	True
Allow Overlaps	False

Select a volume. Right-click and select Delete. A Delete Confirmation window will be displayed. Select Delete this Item to delete the volume.

To delete multiple Volumes, select the volumes in the Volume List, Right-click, and select Delete. Then select Delete All Items.

Inventory DR Strategies Data Clusters Simple Management Uploaded Files

Volumes Nashville Data Center LTO Cartridge

ID	Current Location	Target Location	Flags	Move Time	Due in	Container	Next Mov
000001T.3	Library		CnN	Unspecified	Unassigned	Permanent	
00	Add	Library	CDMnNt	D1:01:06:49	Unspecified	Unassigned	Tuesday, 1
00	Delete	Library	CnNtZ		Unspecified	Unassigned	Permanent
00	Edit	Library	CnNtZ		Unspecified	Unassigned	Permanent
00	Export	Library	CMnNtZ	D4:03:08:46	Unspecified	Unassigned	Permanent
00	Find	Library	CnN		Unspecified	Unassigned	Permanent
00	Favorites	Library	CnNt		Unspecified	Unassigned	Permanent
00	Print	Library	CnNtO		Unspecified	Unassigned	Permanent
00	Properties	Library	CnNtO		Unspecified	Unassigned	Permanent
00	Select	Library	CMnNZ	D4:03:08:46	Unspecified	Unassigned	Permanent
00	Special Operations	Library	CMnZ	D4:03:08:46	Unspecified	Unassigned	Permanent
00	View	Library	CMnZ	D4:03:08:46	Unspecified	Unassigned	Permanent



If a deleted Volume is added back in to the database, all its history will remain.

From:

<https://rtfm.tapetrack.com/> - **TapeTrack Documentation**



Permanent link:

<https://rtfm.tapetrack.com/master/volumes?rev=1506703677>

Last update: **2025/01/21 22:07**