
# **Adding and Maintaining Volumes**


### **Adding Volumes**

### Right-Click to add volumes

To add a Volume, right-click on a Media Type and select Add Volume or press Insert on the keyboard when viewing the Volume List.




In the Edit new volume window enter the volume ID of the new volume to be added and click Save.



#### Last update: 2025/01/21 22:07


#### Scan to Add Volumes

Right-Click in the Volume List, navigate to Special Operations, and select Scan to Add Volumes to use a Barcode scanner to add Volumes to your default repository.




To add volumes to a repository other than your default, right click the required repository and select  $Scan \rightarrow To$  Add and scan volumes to be added.

https://rtfm.tapetrack.com/ Printed on 2025/12/01 09:23



## **Deleting Volumes**

To delete a Volume Allow Deletes must be set to True for the repository the relevant Volume is residing in. To enable this right click on the Repository and select Properties or double click the repository.



Under the Options tab, set **Allow Deletes** to True and Save.




Set Allow Deletes back to False when finished removing required volumes to stop

Last update: 2025/01/21 22:07




accidental deletion of any other volumes.



Select a volume. Right-click and select Delete. A Delete Confirmation window will be displayed. Select Delete this Item to delete the volume.

To delete multiple Volumes, select the volumes in the Volume List, Right-click, and select Delete. Then select Delete All Items.





If a deleted Volume is added back in to the database, all it's history will remain.

https://rtfm.tapetrack.com/ Printed on 2025/12/01 09:23

See Special Operations Menu fro further information.

From:

https://rtfm.tapetrack.com/ - TapeTrack Documentation

Permanent link:

https://rtfm.tapetrack.com/master/volumes?rev=1507119374

Last update: 2025/01/21 22:07

