


Adding and Maintaining Volumes

Adding Individual Volumes

To add a **Volume** either:

- Right-click on a **Media Type** and select Add Volume.



- Right-click in the Inventory window and select Add.



- Click in the Inventory window and press Insert on the keyboard

This will open the Edit New Volume window.

In the Edit New Volume window enter the Volume-ID of the new Volume to be added. Volume-ID's must be unique within a Customer/Media Type scope and must be between 1 and 10 alphanumeric characters long.

Volume Attributes

Customer-ID	US02	Los Angeles Data Center
Media-ID	LTO	LTO Cartridge
Volume-ID		

Save Cancel Help

Click Save to add [Volume](#).

Adding Multiple Volumes


Adding multiple Volumes can be accomplished using several different methods.

- [Scanning Volumes using the "Scan To Add"](#) process, best suited to adding small groups of Volumes with a scanner, keyboard or [GazillaByte CloudScan App](#).
- Pasting in Volumes from Windows Clipboard or file, best suited to adding new Volumes from emailed or file lists of Volume-ID's.
- [Importing Volumes from Excel file](#), best suited to adding Volumes and additional data from Excel sheets.
- [Creating Volumes using the "Volume-ID Building" tool](#).
- Importing Volumes from your Backup Software with TMSS10Sync.
 - [Backup Exec](#)
 - [Commvault](#)
 - [Data Protector](#)


- [Netbackup](#)
- [Networker](#)
- [Tivoli Storage Manager](#)
- [VEEAM](#)

Scan To Add

To add [Volumes](#) to your default [Repository](#) (or Initial [Repository](#) if no default is set) right-click in the Volume List, navigate to Special Operations, and select Scan → Scan to Add Volumes to open the Scan In window.



To add [Volumes](#) to a [Repository](#) other than your default, right-click the required [Repository](#) and select Scan → To Add and scan [Volumes](#) to be added.




Scan your Volume Barcodes using a Barcode scanner to add [Volumes](#) to TapeTrack.

Once all Volumes have been scanned, close the Scan In window by clicking the X at the top right corner.

Deleting Volumes

For information on deleting Volumes see [Deleting Volumes](#)

[update doco](#), [scan](#), [master](#)



From:
<https://rtfm.tapetrack.com/> - **TapeTrack Documentation**

Permanent link:
<https://rtfm.tapetrack.com/master/volumes?rev=1627960928>

Last update: **2025/01/21 22:07**

