2025/12/01 18:27 1/2 Container

Container



A Container represents one physical object that is to be tracked and can contain other assigned Volumes.

Common Container include:

- Box
- Transport Container (eg. Turtle Case)

Container-ID

A Container-ID is a String of characters associated with a Container.

The Container-ID will be reflected in the Container Barcode, which may be a Fully Qualified Barcode, or an Unqualified Barcode.



A Container-ID is a Volume-ID and is synonymous with the terms Volume Serial and Volsers.

Dependencies

Media Type (parent)

Object Rules

- 1. The Volume-ID must be unique within a Customer/Media Type scope.
- 2. The Volume-ID must be between 1 and 10 characters long.
- 3. Must only contain Alpha [A-Z] and Numeric characters [0-9] but can contain a dash as long as the dash is not the first character.
- 4. Can not contain a space or any special character other than a dash.
- 5. Must only use upper case characters.
- 6. Must comply with the Volume-ID filter specified in the Media Type object.
- 7. Must not exceed the Media Type Volume count cap.
- 8. Must not exceed the Server Volume Count Cap.
- 9. Must be unique within a Server Scope if the the server option is set.
- 10. Must be unique within a Customer Scope if the Customer option is set.

Last update: 2025/01/21 22:07

From:

https://rtfm.tapetrack.com/ - TapeTrack Documentation

Permanent link:

https://rtfm.tapetrack.com/object/container?rev=1637632027

Last update: 2025/01/21 22:07



https://rtfm.tapetrack.com/ Printed on 2025/12/01 18:27