

Repository

A Repository represents the general location of a [Volume](#).

Repository-ID

A Repository-ID is a String of up to four alphanumeric characters and is permanently assigned at creation.

Each Repository-ID must be unique within its' [Media type](#).

The Repository-ID can be viewed in the Repository Properties Identity tab. To open the Repository Properties window, right click on a Repository, in the bottom of the TapeMaster Inventory window, and click [Properties](#).

Description

A Repository object has a Description field. This allows a user-friendly description of up to twenty alphanumeric characters to be associated with the Repository-ID.

Dependencies

- [Media type](#) (parent)

Options

- [Allow Deletes](#)
- [Allow Overlaps](#)
- [Allowable Volume-ID's](#)
- [Capacity](#)
- [Confirm Container Contents](#)
- [Coordinates](#)
- [De-Assign From Container](#)
- [Disallow Backward Next Move Date Changes](#)
- [Do Not Slot](#)
- [Do Not Slot If Container](#)
- [Empty Container](#)
- [Enable Slotting](#)
- [Force Simple Management](#)
- [GUID](#)
- [Highwater Offset](#)

- [Internal](#)
- [Late Threshold](#)
- [Move Container Contents](#)
- [Movement Mode](#)
- [Next Repository](#)
- [No Distribution](#)
- [No Next Repository](#)
- [No Re-Move](#)
- [Offsite](#)
- [Primary](#)
- [Require Tag](#)
- [Require Tag Reset](#)
- [Reset Data Cluster](#)
- [Retain Moving Slot](#)
- [Scratch Mode](#)
- [Scratch Priority](#)
- [Show Built In Repositories](#)
- [Sort Sequence](#)
- [Type](#)

Creating a Repository

A Repository Object can be created using:

- [Adding and managing a Repository with TapeTrack TapeMaster.](#)

From:
<https://rtfm.tapetrack.com/> - **TapeTrack Documentation**

Permanent link:
<https://rtfm.tapetrack.com/object/repository?rev=1600912624>

Last update: **2025/01/21 22:07**

