Simple Management Rules

Simple Management rules allow automation of a Volumes next move date based on matching preset criteria. The rules can filter off Media-ID, Volume-ID, Data cluster, from Repository and/or to Repository values.

Enabling Simple Management

Simple Management can be enabled for a Target Repository, or for a specific Volume.

When enabled at a Repository level, a matching Simple Management Rule must exist with a matching scope for every Volume moved to that Repository.

When enabled for a specific Volume, a Simple Management Rule must exist with a matching scope that for every Repository that the Volume will move to.

Enabling at a Repository level

- Force Simple Management option is set to True.
- As Simple Management sets a Next Move Date, and Volumes are traditionally moved using the TMSS10MovePending program, it is recommended that the Next Repository option is set to an appropriate value.

i Identity 🔘 Zones 🖳 Slot Usage	Poptions 👖 Usage History 👖 Movement History 🗔 Certificat	tion
Туре	Library	^
Scratch Mode	No Change	
Scratch Priority	0	
Offsite	False	
Primary	False	
No Distribution	False	
Internal	False	
Sort Sequence	0	
Force Simple Management	True	
No Next Repository	False	
Allow Deletes	True	
Allow Overlaps	False	
De-assign from Container	False	
Empty Container	False	
Do not slot if Container	False	
Do not slot	False	
Require Tag	False	
Require Tag Reset	False	
No re-move	False	
Disallow backward next move date changes	False	
Reset Data Cluster	False	
Confirm Container Contents	False	
Move Container Contents	False	
Late Threshold	0	
Highwater Offset	0	
Movement Mode	None	
Next Repository	Offsite Vault	
Enable Slotting	False	
+ Capacity		~

Creating a Simple Management Rule

From the required Customer's Media type select the Simple Management tab.

Right-click in the main window and select Add, or press Insert on your keyboard.

In the identity tab, insert a description to describe the rule.

Edit New Simple Management Rule	×
🖸 Identity 📄 Options 🕮 Calculations	
Index/Description	-
Customer-ID US04 Nashville Data Center)
Index 0	
Description]

Under the Options tab insert the scope of the rule:

- Active
- Restore
- Scope
 - Exclusion Days
 - Movement Direction
 - From Repository Filter
 - To Repository Filter
 - Volume Attributes
 - Media-ID Filter
 - Volume-ID Filter
 - Data Cluster

Edit New Simple Management Rule	×	
🔯 Identity 🗃 Options 🔨 Calculations		
Active	True	
Restore	False	
□ Scope		
Exclusion Days		
Movement Direction		
From Repository Filter	•	
To Repository Filter	•	
Volume Attributes		
Media-ID Filter	•	
Volume-ID Filter	•	
DataCluster	<no selection=""></no>	

Under the Calculations tab select the rule type: Permanent, Day and/or month, In days, Days of

month/year or restore previous date.

If Day and/or month, In days or Days of month/year is selected you will be presented with extra rule options:

- Rule Options
 - \circ Day of week
 - ∘ 0f
- Advanced
 - Iterations
 - Adjustments
 - Days
 - Then adjust to
 - ∘ Skips
 - Days
 - Holidays
 - Also skip last

Edit New Simple Management Rule	×
🖸 Identity 📄 Options 🗓 Calcul	ations
Rule type	Days of month/year
Day	1
Of the	Month
Advanced	

See Also

Simple Management Cookbook

From: https://rtfm.tapetrack.com/ - **TapeTrack Documentation**

Permanent link: https://rtfm.tapetrack.com/object/simple_management

Last update: 2025/01/21 22:07

