

Volume Current Location

A volumes current location is the last repository the volume was confirmed at. If the current location matches the target location it is also the physical location the volume should be at.

If slotting is enabled the current location will include the slot allocation details as well.

The screenshot shows the 'Edit Volume: 000013L6' window with the 'Current Location' tab selected. The window contains a tree view with the following sections and data:

- Virtual Location**
 - Repository: Offsite Vault
 - Slot: 282
- Physical Location**
 - Zone: Rack C
 - Slot: 9.2
- Update Statistics**
 - When**
 - Date: Tuesday, June 08, 2021 (0 days ago)
 - Time: 11:49:25
 - UTC Offset: 600 minutes
 - Time at source: Tuesday, June 08, 2021 - 11:49:25
 - Time Zone: AUS Eastern Standard Time
 - From**
 - Machine Name: 127.0.0.1 (GazillaByte)
 - Details**
 - Connection Count: 2,134
 - First Connection: Sunday, August 04, 2019 - 16:44:36
 - Last Connection: Tuesday, June 08, 2021 - 09:29:19
 - Interface: TapeTrack TapeMaster
 - Operating System: Windows
 - As**
 - User-ID: doco
 - User Name: doco

At the bottom of the window, there are three buttons: 'Save', 'Cancel', and 'Help'.

The **Relative location** panel (A) displays:

- Repository-ID and Description.
- Slot Number allocated.
- Maximum number of slots assigned to the target repository.

If slotting is not enabled, or no zones mapped to the repository, slot number and maximum will display as zero.

The **Absolute Location** (B) displays:

- The Zone-ID.
- Level location.
- Slot location

The absolute location is a physical representation of where the slot is located based on racking parameters, such as number or drawers/shelves and slots per drawer/shelf, to enable users to easily locate the current location. If slotting is not enabled, or no zones mapped to the repository, Zone-ID will be blank, level and slot will display as zero.

Expanding the lower section **Update Statistics** (C) displays information of when, where and who placed the volume into a move to the target location. These values are set automatically on creation of the volume and are non editable fields.

See Also

- [Repository](#)
- [Target Location](#)
- [Scanned Location](#)

From:
<https://rtfm.tapetrack.com/> - **TapeTrack Documentation**

Permanent link:
https://rtfm.tapetrack.com/object/volume_current?rev=1576192584

Last update: **2025/01/21 22:07**

