

# Volume Target

When a volume is placed in a move from its' current location to another location, that other location is a target location until the volume is has a confirmed arrival.

If slotting is enabled the target location will, when a slot is assigned, include the slot allocation details as well.

Edit Volume: 000013L6

Datasets		Attributes	VeriScore™	DR Strategies	Options	Catalog																																		
Identity	Target Location	Current Location	Scanned Location	Notes	History																																			
<b>Virtual Location</b> <table border="1"> <tr> <td>Repository</td> <td>Offsite Vault</td> </tr> <tr> <td>Slot</td> <td>282</td> </tr> </table>		Repository	Offsite Vault	Slot	282																																			
Repository	Offsite Vault																																							
Slot	282																																							
<b>Physical Location</b> <table border="1"> <tr> <td>Zone</td> <td>Rack C</td> </tr> <tr> <td>Slot</td> <td>9.2</td> </tr> </table>		Zone	Rack C	Slot	9.2																																			
Zone	Rack C																																							
Slot	9.2																																							
<b>Update Statistics</b> <table border="1"> <tr> <td><b>When</b></td> <td></td> </tr> <tr> <td>Date</td> <td>Monday, April 05, 2021 (63 days ago)</td> </tr> <tr> <td>Time</td> <td>15:25:09</td> </tr> <tr> <td>UTC Offset</td> <td>600 minutes</td> </tr> <tr> <td>Time at source</td> <td>Monday, April 05, 2021 - 15:25:09</td> </tr> <tr> <td>Time Zone</td> <td>AUS Eastern Standard Time</td> </tr> <tr> <td><b>From</b></td> <td></td> </tr> <tr> <td>Machine Name</td> <td>127.0.0.1 (GazillaByte)</td> </tr> <tr> <td><b>Details</b></td> <td></td> </tr> <tr> <td>Connection Count</td> <td>2,134</td> </tr> <tr> <td>First Connection</td> <td>Sunday, August 04, 2019 - 16:44:36</td> </tr> <tr> <td>Last Connection</td> <td>Tuesday, June 08, 2021 - 09:29:19</td> </tr> <tr> <td>Interface</td> <td>TMSS10SlotAllocation</td> </tr> <tr> <td>Operating System</td> <td>Windows</td> </tr> <tr> <td><b>As</b></td> <td></td> </tr> <tr> <td>User-ID</td> <td>doco</td> </tr> <tr> <td>User Name</td> <td>doco</td> </tr> </table>		<b>When</b>		Date	Monday, April 05, 2021 (63 days ago)	Time	15:25:09	UTC Offset	600 minutes	Time at source	Monday, April 05, 2021 - 15:25:09	Time Zone	AUS Eastern Standard Time	<b>From</b>		Machine Name	127.0.0.1 (GazillaByte)	<b>Details</b>		Connection Count	2,134	First Connection	Sunday, August 04, 2019 - 16:44:36	Last Connection	Tuesday, June 08, 2021 - 09:29:19	Interface	TMSS10SlotAllocation	Operating System	Windows	<b>As</b>		User-ID	doco	User Name	doco					
<b>When</b>																																								
Date	Monday, April 05, 2021 (63 days ago)																																							
Time	15:25:09																																							
UTC Offset	600 minutes																																							
Time at source	Monday, April 05, 2021 - 15:25:09																																							
Time Zone	AUS Eastern Standard Time																																							
<b>From</b>																																								
Machine Name	127.0.0.1 (GazillaByte)																																							
<b>Details</b>																																								
Connection Count	2,134																																							
First Connection	Sunday, August 04, 2019 - 16:44:36																																							
Last Connection	Tuesday, June 08, 2021 - 09:29:19																																							
Interface	TMSS10SlotAllocation																																							
Operating System	Windows																																							
<b>As</b>																																								
User-ID	doco																																							
User Name	doco																																							
<input type="button" value="Save"/> <input type="button" value="Cancel"/> <input type="button" value="Help"/>																																								

The **Relative location** (A) displays:

- Repository-ID and Description.
- Slot Number allocated.
- Maximum number of slots assigned to the target repository.

The **Absolute Location** (B) displays:

- The Zone-ID.
- Level location.

- Slot location

The absolute location is a physical representation of where the slot is located based on racking parameters, such as number of drawers/shelves and slots per drawer/shelf, to enable users to easily locate the target location.

Expanding the lower section **Update Statistics** (C) displays information of when, where and who placed the volume into a move to the target location. These values are set automatically on creation of the volume and are non-editable fields.

From:

<https://rtfm.tapetrack.com/> - **TapeTrack Documentation**



Permanent link:

[https://rtfm.tapetrack.com/object/volume\\_target?rev=1525223833](https://rtfm.tapetrack.com/object/volume_target?rev=1525223833)

Last update: **2025/01/21 22:07**