

Volume Target Location

When a volume is placed in a move from its' current location to another location, that other location is a target location until the volume is has a confirmed arrival.

Once confirmed at the target location, the volumes current location is updated to match the target location, removing the volumes move (M) flag and move status.

If slotting is enabled the target location will, when a slot is assigned, include the slot allocation details as well.

Edit Volume: 000013L6

Datasets	Attributes	VeriScore™	DR Strategies	Options	Catalog
Identity	Target Location	Current Location	Scanned Location	Notes	History

Virtual Location

Repository

Slot

Offsite Vault

282

Physical Location

Zone

Slot

Rack C

9.2

Update Statistics

When

Date

Time

UTC Offset

Time at source

Time Zone

Monday, April 05, 2021 (63 days ago)

15:25:09

600 minutes

Monday, April 05, 2021 - 15:25:09

AUS Eastern Standard Time

From

Machine Name

127.0.0.1 (GazillaByte)

Details

Connection Count

First Connection

Last Connection

Interface

Operating System

2,134

Sunday, August 04, 2019 - 16:44:36

Tuesday, June 08, 2021 - 09:29:19

TMSS10SlotAllocation

Windows

As

User-ID

User Name

doco

doco

Save

Cancel

Help

The **Relative location** panel (A) displays:

- Repository-ID and Description.
- Slot Number allocated.
- Maximum number of slots assigned to the target repository.

If slotting is not enabled, or no zones mapped to the repository, slot number and maximum will

display as zero.

The **Absolute Location** (B) displays:

- The Zone-ID.
- Level location.
- Slot location

The absolute location is a physical representation of where the slot is located based on racking parameters, such as number of drawers/shelves and slots per drawer/shelf, to enable users to easily locate the target location. If slotting is not enabled, or no zones mapped to the repository, Zone-ID will be blank, level and slot will display as zero.

Expanding the lower section **Update Statistics** (C) displays information of when, where and who placed the volume into a move to the target location. These values are set automatically on creation of the volume and are non editable fields.

From:

<https://rtfm.tapetrack.com/> - **TapeTrack Documentation**

Permanent link:

https://rtfm.tapetrack.com/object/volume_target?rev=1525225557

Last update: **2025/01/21 22:07**

