

# Volume Target Location

When a [Volume](#) is placed in a move from its' Current Location to another Location, that other Location is a Target Location.

Once the [Volume](#) is confirmed at the Target Location, the [Volume's](#) Current Location is updated to match the Target Location, removing the [Volume's](#) Move (M) [Flag](#) and Move Status.

If slotting is enabled the Target Location will, when a Slot is assigned, include the Slot Allocation details as well.

Edit Volume: 000013L6

Datasets	Attributes	VeriScore™	DR Strategies	Options	Catalog
Identity	Target Location	Current Location	Scanned Location	Notes	History

Virtual Location

Repository	Offsite Vault
Slot	282

Physical Location

Zone	Rack C
Slot	9.2

Update Statistics

When

Date	Monday, April 05, 2021 (63 days ago)
Time	15:25:09
UTC Offset	600 minutes
Time at source	Monday, April 05, 2021 - 15:25:09
Time Zone	AUS Eastern Standard Time

From

Machine Name	127.0.0.1 (GazillaByte)
--------------	-------------------------

Details

Connection Count	2,134
First Connection	Sunday, August 04, 2019 - 16:44:36
Last Connection	Tuesday, June 08, 2021 - 09:29:19
Interface	TMSS10SlotAllocation
Operating System	Windows

As

User-ID	doco
User Name	doco

Save

Cancel

Help

The **Relative location** panel (A) displays:

- [Repository-ID](#) and [Description](#).
- Slot Number allocated.
- Maximum number of Slots assigned to the Target [Repository](#).

If slotting is not enabled, or no zones mapped to the [Repository](#), Slot number and maximum will

display as zero.

The **Absolute Location** (B) displays:

- The Zone-ID.
- Level location.
- Slot location

The absolute location is a physical representation of where the Slot is located based on racking parameters, such as number or drawers/shelves and Slots per drawer/shelf, to enable users to easily locate the Target Location. If Slotting is not enabled, or no Zones mapped to the [Repository](#), Zone-ID will be blank, level and Slot will display as zero.

Expanding the lower section **Update Statistics** (C) displays information of when, where and who placed the [Volume](#) into a move to the Target Location. These values are set automatically on creation of the [Volume](#) and are non editable fields.

## See Also

- [Repository](#)
- [Current Location](#)
- [Scanned Location](#)

From:

<https://rtfm.tapetrack.com/> - **TapeTrack Documentation**

Permanent link:

[https://rtfm.tapetrack.com/object/volume\\_target?rev=1578360970](https://rtfm.tapetrack.com/object/volume_target?rev=1578360970)

Last update: **2025/01/21 22:07**

