

Volume Target Location

When a [Volume](#) is placed in a move from its' Current Location to another Location, that other Location is a Target Location.

Once the [Volume](#) is confirmed at the Target Location, the [Volume's](#) Current Location is updated to match the Target Location, removing the [Volume's](#) Move (M) [Flag](#) and Move Status.

If Slotting is enabled the Target Location will, when a Slot is assigned, include the Slot Allocation details as well.

The screenshot shows the 'Edit Volume: 000013L6' window. The navigation pane on the left is expanded to show the 'Virtual Location' section. The main area displays the following data:

Virtual Location	
Repository	Offsite Vault
Slot	282
Physical Location	
Zone	Rack C
Slot	9.2
Update Statistics	
When	
Date	Monday, April 05, 2021 (63 days ago)
Time	15:25:09
UTC Offset	600 minutes
Time at source	Monday, April 05, 2021 - 15:25:09
Time Zone	AUS Eastern Standard Time
From	
Machine Name	127.0.0.1 (GazillaByte)
Details	
Connection Count	2,134
First Connection	Sunday, August 04, 2019 - 16:44:36
Last Connection	Tuesday, June 08, 2021 - 09:29:19
Interface	TMSS10SlotAllocation
Operating System	Windows
As	
User-ID	doco
User Name	doco

At the bottom of the window, there are three buttons: 'Save', 'Cancel', and 'Help'.

The **Virtual location** panel displays:

- [Target Repository](#).
- Slot Number allocated (if Slotting is enabled and Volume is allocated to a Slot).

If slotting is not enabled, or no zones mapped to the [Repository](#), Slot number will display as zero.

The **Physical Location** displays:

- The Zone.
- Level location.
- Slot location

The physical location is a physical representation of where the Slot is located based on racking parameters, such as number or drawers/shelves and Slots per drawer/shelf, to enable users to easily locate the Target Location. If Slotting is not enabled, or no Zones mapped to the [Repository](#), Zone will be displayed as No-Alloc, Slot will display as zero.

Expanding the lower section **Update Statistics** (C) displays information of when, where and who placed the [Volume](#) into a move to the Target Location. These values are set automatically on creation of the [Volume](#) and are non editable fields.

See Also

- [Repository](#)
- [Current Location](#)
- [Scanned Location](#)

From:
<https://rtfm.tapetrack.com/> - **TapeTrack Documentation**

Permanent link:
https://rtfm.tapetrack.com/object/volume_target?rev=1623111583

Last update: **2025/01/21 22:07**

