

Volume Target Location

When a [Volume](#) is placed in a move from its' Current Location to another Location, that other Location is a Target Location.

Once the [Volume](#) is confirmed at the Target Location, the [Volume's](#) Current Location is updated to match the Target Location, removing the [Volume's](#) Move (M) [Flag](#) and Move Status.

If [Slotting](#) is enabled the Target Location will, when a [Slot](#) is assigned, include the [Slot](#) Allocation details as well.

The screenshot shows the 'Edit Volume: 000013L6' window with the following data:

| Virtual Location | |
|-------------------|--------------------------------------|
| Repository | Offsite Vault |
| Slot | 282 |
| Physical Location | |
| Zone | Rack C |
| Slot | 9.2 |
| Update Statistics | |
| When | |
| Date | Monday, April 05, 2021 (63 days ago) |
| Time | 15:25:09 |
| UTC Offset | 600 minutes |
| Time at source | Monday, April 05, 2021 - 15:25:09 |
| Time Zone | AUS Eastern Standard Time |
| From | |
| Machine Name | 127.0.0.1 (GazillaByte) |
| Details | |
| Connection Count | 2,134 |
| First Connection | Sunday, August 04, 2019 - 16:44:36 |
| Last Connection | Tuesday, June 08, 2021 - 09:29:19 |
| Interface | TMSS10SlotAllocation |
| Operating System | Windows |
| As | |
| User-ID | doco |
| User Name | doco |

Buttons at the bottom: Save, Cancel, Help

The **Virtual location** panel displays:

- Target [Repository](#).
- [Slot](#) Number allocated (if [Slotting](#) is enabled and [Volume](#) is allocated to a [Slot](#)).

If [Slotting](#) is not enabled, or no [Zones](#) mapped to the [Repository](#), [Slot](#) number will display as zero.

The **Physical Location** displays:

- The [Zone](#).
- Level location.
- [Slot](#) location

The physical location is a physical representation of where the [Slot](#) is located based on racking parameters, such as number or drawers/shelves and [Slots](#) per drawer/shelf, to enable users to easily locate the Target Location. If [Slotting](#) is not enabled, or no [Zones](#) mapped to the [Repository](#), [Zone](#) will be displayed as No-Alloc, [Slot](#) will display as zero.

Expanding the lower section **Update Statistics** (C) displays information of when, where and who placed the [Volume](#) into a move to the Target Location. These values are set automatically on creation of the [Volume](#) and are non editable fields.

See Also

- [Repository](#)
- [Current Location](#)
- [Scanned Location](#)

From:
<https://rtfm.tapetrack.com/> - **TapeTrack Documentation**

Permanent link:
https://rtfm.tapetrack.com/object/volume_target?rev=1623114268

Last update: **2025/01/21 22:07**

