


Sort Sequence

The [Repository](#) Option Sort Sequence allows the display order of the [Repositories](#) to be customized.



Sort Sequence Options

The Sort Sequence is set numerically from 0 to 255.


[Repositories](#) will be displayed in numerical order, lowest to highest, left to right.

The Sort Sequence values do not have to be sequential.

[options](#), [repository options](#)

Example Sorting

TapeMaster Display



Repository Sort Sequence

- Gemtrac: 10
- Library: 20
- Transport: 30
- Vault: 43

The screenshot shows the 'Edit Repository: Gemtrac' window. The 'Options' tab is selected, displaying a list of configuration parameters. The 'Sort Sequence' is set to 10.

Property	Value
Local GUIDs	55533032-0000-0000-4c54-4f005241434b
Remote GUIDs	00000000-0000-0000-0000-000000000000
Allowable Volume-IDs	
Type	Racking
Scratch Mode	No Change
Scratch Priority	0
Offsite	False
Primary	False
No Distribution	False
Internal	False
Sort Sequence	10
Force Simple Management	False
No Next Repository	True
Allow Deletes	False

The screenshot shows the 'Edit Repository: Library' window. The 'Options' tab is selected, displaying a list of configuration parameters. The 'Sort Sequence' is set to 20.

Property	Value
Local GUIDs	55533032-0000-0000-4c54-4f004c494252
Remote GUIDs	00000000-0000-0000-0000-000000000000
Allowable Volume-IDs	
Type	Library
Scratch Mode	No Change
Scratch Priority	0
Offsite	False
Primary	False
No Distribution	False
Internal	False
Sort Sequence	20
Force Simple Management	False
No Next Repository	False
Allow Deletes	False

Edit Repository: Transport

Identity Zones Slot Usage Options Usage History Movement History Certification

GUIDs	
Local	55533032-0000-0000-4c54-4f005452414e
Remote	00000000-0000-0000-0000-000000000000
Allowable Volume-IDs	
Type	Transportation
Scratch Mode	No Change
Scratch Priority	0
Offsite	False
Primary	False
No Distribution	False
Internal	False
Sort Sequence	30
Force Simple Management	False
No Next Repository	True
Allow Deletes	False

Edit Repository: Offsite Vault

Identity Zones Slot Usage Options Usage History Movement History Certification

GUIDs	
Local	55533032-0000-0000-4c54-4f004f464653
Remote	00000000-0000-0000-0000-000000000000
Allowable Volume-IDs	
Type	Vault
Scratch Mode	No Change
Scratch Priority	0
Offsite	True
Primary	False
No Distribution	False
Internal	False
Sort Sequence	43
Force Simple Management	False
No Next Repository	False
Allow Deletes	True

From: <https://rtfm.tapetrack.com/> - **TapeTrack Documentation**

Permanent link: https://rtfm.tapetrack.com/options/repository/sort_sequence?rev=1614123303

Last update: **2025/01/21 22:07**

