

Virtual Slot

The **Virtual Slot** allocation is a number of the slot based on sequential numbering of all slots from the zones allocated to a repository.

For this example we will use three LTO storage racks. Each of these racks with:

- a capacity of 100 tapes
- 10 storage shelves.
- 10 slots per shelf.

These racks will be assigned names of Rack_01, Rack_02 and Rack_03

If these three racks are completely assigned to one repository, there will be 300 virtual slots available for volume allocation.

- Slot 1 would be the first slot in Rack_01
- Slot 100 would be the last slot in Rack_01
- Slot 101 would be the first slot in Rack_02
- Slot 201 would be the first slot in Rack_03
- Slot 300 would be the last slot in Rack_03

Assigning volumes to slots

- volume 000001L5 to slot 1
- volume 000002L5 to slot 100
- volume 000003L5 to slot 101
- volume 000004L5 to slot 201
- volume 000005L5 to slot 300

Virtual slotting

ID	Current Location	Target Location	Flags	Move Time	Due in	Container	Next M
000001L5	Offsite Vault [000001]		CNOZ		Unspecified	Unassigned	Perma
000002L5	Offsite Vault [000100]		CGNOZ		Unspecified	Unassigned	Perma
000003L5	Offsite Vault [000101]		CNOZ		Unspecified	Unassigned	Perma
000004L5	Offsite Vault [000201]		CNOZ		Unspecified	Unassigned	Perma
000005L5	Offsite Vault [000300]		CNO		Unspecified	Unassigned	Perma
000006L5	Library		CEnN		Unspecified	Unassigned	Perma

Physical slotting

ID	Current Location	Target Location	Flags	Move Time	Due in	Container	Next M
000001L5	Rack_01 [1.1]		CNOZ		Unspecified	Unassigned	Perma
000002L5	Rack_01 [10.10]		CGNOZ		Unspecified	Unassigned	Perma
000003L5	Rack_02 [1.1]		CNOZ		Unspecified	Unassigned	Perma
000004L5	Rack_03 [1.1]		CNOZ		Unspecified	Unassigned	Perma
000005L5	Rack_03 [10.10]		CNO		Unspecified	Unassigned	Perma
000006L5	Library		CEnN		Unspecified	Unassigned	Perma

If the first 50 slots in storage rack 1 were assigned to customer AAAA, and the rest of the racking, 250 slots, assigned to customer BBBB. For Customer AAAA

- Slot 1 would be the first slot in Rack_01
- Slot 50 would be the 50th slot in Rack_01

For Customer BBBB

- Slot 1 would be the 51st slot in Rack_01
- Slot 50 would be the 100th slot in Rack_01
- Slot 51 would be the 1st slot in Rack_02
- Slot 151 would be the 1st slot in Rack_03
- Slot 250 would be the 100th slot in Rack_03

Physical Slot

The **Physical Slot** allocation is a slot number showing the physical location of a slot in the storage rack that remains unaltered regardless of which repository or customer it is allocated to.

For this example we will use three LTO storage racks, each with a capacity of 100 tapes over 10 shelves.

If these three racks are completely assigned to one repository, there will be 300 virtual slots available for volume allocation.

- Slot 1 would be storage rack 1, shelf 1, slot 1
- Slot 100 would be storage rack 1, shelf 10, slot 10
- Slot 101 would be storage rack 2, shelf 1
- Slot 201 would be the first slot in storage rack 3
- Slot 300 would be the last slot in storage rack 3

From:
<https://rtfm.tapetrack.com/> - **TapeTrack Documentation**

Permanent link:
https://rtfm.tapetrack.com/primer/virtual_slot?rev=1528936559

Last update: **2025/01/21 22:07**

