# **TapeTrack Reconciliation Report**


The TapeTrack Reconciliation Report is created by the Command Line Program TMSS10Reconcile.

The program runs in 4 sequential phases:

- Phase 1 Load of the TapeTrack Scan-Map from a Scan-File.
- Phase 2 Reconciliation of the Scan-Map.
- Phase 3 Listing of unreferenced Scan-Map items.
- Phase 4 Report Production.

# Report Input

### **TapeTrack Customer Status**



#### Scan-File

Last update: 2025/01/21 22:07

```
File Edit Format View Help
US04.LT0.000002L5
US04.LT0.000003L5
US04.LT0.000005L6
US04.LT0.000005L6
US04.LT0.000009L6
US04.LT0.0000010L6
US04.LT0.111111L6
```

# **Report Sections**

# **Load of Scan-Map**

The purpose of this phase is to load a TapeTrack Scan-File and resolve each of the a Scan-File Entries into a Fully Qualified TapeTrack Barcode.

As the Scan-File is loaded, a Scan-Map is created.

Alternatively, rather than loading the Scan-Map from a Scan-File, the TapeTrack Import Engine can be used to load the Scan-Map. This facilitates loading from Fixed Length Reports, CSV Files and ODBC Data Sources.

The Fully Qualified TapeTrack Barcode can be resolved from an Unqualified Barcode or an Extended Attribute.

```
System: TapeTrack
Report Description: Phase 1: Load Scan-Map from Scan-File
   Production Time: Monday, March 19, 2018 - 10:09:27 (AUS Eastern Daylight
Time)
       Report Width: 149 bytes
       Record Barcode
                                                         Resolved As
Seq.
Status Notes
             1 US04.LT0.000002L5
                                                         US04.LT0.000002L5
0K
      2
             2 US04.LT0.000003L5
                                                         US04.LT0.000003L5
0K
      3
             3 US04.LT0.000004L6
                                                         US04.LT0.000004L6
0K
      4
             4 US04.LT0.000005L6
                                                         US04.LT0.000005L6
```

https://rtfm.tapetrack.com/ Printed on 2025/04/03 07:13

0K			
	5	5 US04.LT0.000009L6	US04.LT0.000009L6
0K			
OK	6	6 US04.LT0.000010L6	US04.LT0.000010L6
0K	7	7 US04.LT0.111111L6	US04.LT0.111111L6
0K	•	, , , , , , , , , , , , , , , , , , , ,	••••

### Reconcile of TapeTrack Volumes

The purpose of this phase is to list all of the Volumes that are either in, moving to, or unexpected in the specified Repository.

The following statuses may result:

- **Reconciled** if the Volume is in the Target Repository, is in the Scan-Map and not moving.
- **Reconciled (Confirmed)** if the Volume is moving into the specified Repository and is in the Scan-Map. The Volume will be Confirmed into the Volume's Target Repository in the TapeTrack database.
- **Absent from Scan-Map** if the Volume is confirmed into the specified Repository and is not present in the Scan-Map. An Audit Flag will be assigned to the Volume.
- **Pending Confirmation** if the Volume is in a move status out from the specified Repository and is not overdue at the Target Repository.
- **Overdue at Target** if the Volume is in a move status to the specified Repository, is not in the Scan-Map and is now overdue at the Target Repository.
- **Unexpected in Scan-Map** Present in the Scan-Map but not present at, or moving to, the Target Repository.



Report headings and spacing have been edited to fit information on web formatting

System: TapeTrack Report Description: Phase 2: Reconcile TapeTrack Vol Report Notes: Repository OFFS Production Time: Monday, March 19, 2018 - 10:21:3 Time) Report Width: 169 bytes	-		•
Seq Barcode Current Rep Target Rep Mo Scanned Status Notes	ve Time	Overdue	
			.,
1 US04.LT0.000002L5 Offsite Vault OK Reconciled		No	Yes
	11:10:39	No	Yes
OK Pending confirmation			
3 US04.LT0.000004L6 Offsite Vault Library H	11:10:39	No	Yes

0K	Pending confir	mation				
4	US04.LT0.000005L6	Offsite Vault	Library	H1:10:05	No	Yes
0K	Pending confir	mation				
5	US04.LT0.000008L6	Offsite Vault			No	No
NOT	-OK Absent from Sc	an-Map				
6	US04.LT0.000009L6	Offsite Vault			No	Yes
0K	Reconciled					
7	US04.LT0.000010L6	Library			No	Yes
NOT	-OK Unexpected in	Scan-Map				

Following the example data at the top of page we have:

- Volumes 000002L5 and 000009L6 are referenced as Reconciled as they are in the Scan-Map, and confirmed in the current Repository (Offsite Vault).
- Volumes 000003L5, 000004L6 and 000005L6 are referenced as **Pending confirmation** as they are in the Scan-Map, and in a move from the current Repository but not yet confirmed at the target Repository.
- Volumes 000008L6 is referenced as **Absent from Scan-Map** as it appears in TapeTrack as at the current Repository but is absent from the Scan-Map. This shows the Volume is either somewhere it shouldn't be or is missing and as such is given a status of **NOT-OK** and is given an audit flag for further investigation.
- Volume 000010L6 is referenced as Unexpected in Scan-Map as it is present in the Scan-Map
  as being at the current Repository but shown in TapeTrack as being confirmed at another
  Repository. As such is given a status of NOT-OK and is given an audit flag for further
  investigation.



Status strings may be customized using TMSSRECONCILETEXT variables.

# **Unreferenced Scan-Map Entries**

This report shows Volumes that are in the Scan-Map, but are not known to TapeTrack.

Reasons for this error could be:

Volume does not belong to you but has been included with your Volumes by operator error.

https://rtfm.tapetrack.com/ Printed on 2025/04/03 07:13

- Manually produced Scan-File with a typo on a Volume ID.
- Volume added to inventory but not entered into TapeTrack.

#### **Reconciliation Statistics**

This report shows the final statistics for the Reconciliation process.

```
System: TapeTrack
Report Description: Phase 4: Reconciliation Statistics
   Production Time: Monday, March 19, 2018 - 10:21:34 (AUS Eastern Daylight
Time)
      Report Width: 75 bytes
Metric
                                                      Count
Phase 1: Read from Scan-File
                                                               7
                                                               7
Phase 1: Loaded successfully from Scan-File
Phase 1: Loaded unsuccessfully from Scan-File
                                                              + 0
_____
Phase 2: Reconciled
                                                               2
Phase 2: Reconciled (Confirmed)
                                                               0
Phase 2: Confirmation Bypass
                                                               0
Phase 2: Pending confirmation
                                                               3
Phase 2: Out of scope
                                                               3
Phase 2: Absent from Scan-Map
                                                              + 1
Phase 2: Unexpected in Scan-Map
                                                              + 1
Phase 2: Overdue at subject repository
                                                              + 0
Phase 2: Overdue at target repository
                                                              + 0
______
Phase 3: Unreferenced Scan-Map items
Phase 4: Total Errors
                                                               3
```

#### Phase 1


Reads in Volume-ID's from the Scan-File, parses them (depending on format) into Customer-ID, Media-ID and Volume-ID. Metrics are then displayed as the number of Volumes successfully and unsuccessfully loaded ready for reconciliation in phase two.

With the example data, all 7 entries were successfully loaded as fully qualified barcodes from the Scan-File into the Scan-Map ready for reconciliation.

#### Phase 2



Status strings (Reconciled, Reconciled (Confirmed) etc) may be customized using





#### TMSSRECONCILETEXT variables

- Reconciled shows number of Volumes present in Scan-Map and confirmed at subject Repository.
- **Reconciled (Confirmed)** shows number of Volumes confirmed into subject Repository that were in a move to there and present in Scan-Map.
- **Confirmation Bypass** (set as an Attribute in TMSS10Reconcile) shows the number of Volumes moving to subject Repository and present in Scan-Map but not confirmed.
- **Pending confirmation** shows number of Volumes present in Scan-Map, in a move status out of subject Repository and yet to be confirmed at target Repository.
- **Out of scope** shows the number of Volumes in the customers inventory that are not referenced in the Scan-Map and are listed in TapeTrack as being not confirmed in, moving to or from the subject Repository.
- **Absent from Scan-Map** show the number of Volumes expected to be either in, moving to or moving from the subject Repository that are not listed in the Scan-Map.
- **Unexpected in Scan-Map** shows the number of Volumes present in the Scan-Map that, in TapeTrack, are not present in, moving to or moving from the subject Repository.
- Overdue at subject repository shows the number of Volumes present in the Scan-Map that are moving to the subject Repository but have exceeded the time threshold to complete the move.
- **Overdue at target repository** shows the number of Volumes present in the Scan-Map that are moving from the subject Repository but have exceeded the target Repository's time threshold to complete the move.

#### Phase 3

**Unreferenced Scan-Map Items** shows the number of Volumes that are present in the Scan-Map but don't exist within the customers target media.

#### Phase 4

**Total Errors** shows the total accumulated errors from the reconciliation process.

# **Movement Aging Report**

This report shows statistics on Volumes that remain in a move status after the reconciliation has completed.

System: TapeTrack

Report Description: Phase 4: Movement Aging Report

Production Time: Monday, March 19, 2018 - 10:21:34 (AUS Eastern Daylight

Time)

Report Width: 40 bytes

Duration Incoming Outgoing

https://rtfm.tapetrack.com/ Printed on 2025/04/03 07:13

less than 1 day	0	3	
less than 2 days	0	0	
less than 3 days	0	0	
less than 4 days	0	Θ	
less than 5 days	0	Θ	
less than 6 days	0	Θ	
less than 7 days	0	Θ	
less than 8 days	0	Θ	
less than 9 days	0	Θ	
9 or more days	0	Θ	

In the example data, these are the Volumes 000003L5, 000004L6 and 000005L6 which are in a move status (one day) out of the subject Repository but not yet confirmed into their target Repository.

# update doco

From:

https://rtfm.tapetrack.com/ - TapeTrack Documentation

Permanent link:

https://rtfm.tapetrack.com/reports/reconciliation

Last update: 2025/01/21 22:07

