TapeTrack Reconciliation Report

The TapeTrack Reconciliation Report is created by the Command Line Program TMSS10Reconcile.

The program runs in 4 sequential phases:

- Phase 1 Load of the TapeTrack Scan-Map from a Scan File.
- Phase 2 Reconciliation of the Scan-Map.
- Phase 3 Listing of unreferenced Scan-Map items.
- Phase 4 Report Production.

Report Input

TapeTrack Customer Status

Volumes							
ID	Current Location	Target Location	Flags	Move Time	Due in	Container	Next Mov
Enter text h 🝸	Enter text he 🍸	Enter text 🍸	Enter	🛛 Enter t 🍸	Enter t 🍸	Enter t 🍸	Enter
000001L3	Library		CnNt		Unspecified	Unassigned	Permaner
000002L5	🐞 Offsite Vault		CnNOt				
000003L5	🐞 Offsite Vault	📓 Library	CMnNtZ	M37:17			
000004L6	🐞 Offsite Vault	Library	CMnNtZ	M37:17			
000005L6	🐞 Offsite Vault	Library	CMnNtZ	M36:43			
000006L6	Library		CnN				
000007L6	Library		CnNt				
000008L6	🐞 Offsite Vault		CnNOt				
00000916	🐞 Offsite Vault		CnNOt				
000010L6	Library		CnN				

Scan File

//////////////////////////////////////	- Notepad
File Edit Format View	Help
US04.LT0.000002L5	
US04.LT0.000003L5	
US04.LT0.000004L6	
US04.LT0.000005L6	\$
US04.LT0.000009L6	
US04.LT0.000010L6	
US04.LT0.111111L6	د ۴ ۲
	Ļ
	\$
~~	<pre></pre>

Report Sections

Load of Scan-Map

The purpose of this phase is load a TapeTrack Scan-File and resolved each of the a Scan-File Entries into a Fully Qualified TapeTrack Barcode.

As the Scan-File is loaded, a Scan-Map is created.

Alternatively, rather than loading the Scan-Map from a Scan-File, the TapeTrack Import Engine can be used to load the Scan-Map. This facilitates loading from Fixed Length Reports, CSV Files and ODBC Data Sources.

The Fully Qualified TapeTrack Barcode can be resolved from an Unqualified Barcode or an Extended Attribute.

•	oducti	System: TapeTrack ription: Phase 1: Load Scan-Map from Scan-F on Time: Monday, March 19, 2018 - 10:09:27 t Width: 149 bytes	
•	Reco Notes	rd Barcode	Resolved As
	1	1 US04.LT0.000002L5	US04.LT0.000002L5
	2	2 US04.LT0.000003L5	US04.LT0.000003L5
0К 0К	3	3 US04.LT0.000004L6	US04.LT0.000004L6
	4	4 US04.LT0.000005L6	US04.LT0.000005L6

2023/04/11 03.23	5/0	
0K		
5	5 US04.LT0.000009L6	US04.LT0.000009L6
0K	6 US04.LT0.000010L6	US04.LT0.000010L6
6 0K	0 0504.210.00001020	0304.210.00001020
7	7 US04.LT0.111111L6	US04.LT0.111111L6
0K		

TaneTrack Reconciliation Report

3/6

Reconcile of TapeTrack Volumes

The purpose of this phase is to list all of the Volumes that are either in, moving to, or unexpected in the specified Repository.

The following statuses may result:

2025/04/11 03.23

- **Reconciled** if the Volume is in the target repository, is in the Scan-Map and not moving.
- **Reconciled (Confirmed)** if the Volume is moving into the specified Repository and is in the scan map. The Volume will be Confirmed in the TapeTrack database.
- **Absent from Scan-Map** if the Volume is confirmed into the specified Repository and is not present in the Scan-Map. An Audit Flag will be placed on the Volume.
- **Pending Confirmation** if the Volume is in a Move Status out from the specified repository and is not overdue at the target repository.
- **Overdue at Target** if the Volume is in a Move Status to the specified Repository, is not in the Scan-Map and is now overdue at the target repository.
- **Unexpected in Scan-Map** Present in Scan-Map but not present at, or moving to, the target repository.

Report headings and spacing have been edited to fit information on web formatting

```
System: TapeTrack
Report Description: Phase 2: Reconcile TapeTrack Volumes against Scan-Map
      Report Notes: Repository OFFS
   Production Time: Monday, March 19, 2018 - 10:21:34 (AUS Eastern Daylight
Time)
      Report Width: 169 bytes
Seq Barcode
                                             Move Time Overdue
                    Current Rep Target Rep
Scanned Status Notes
-----
1 US04.LT0.000002L5 Offsite Vault
                                                        No
                                                               Yes
       Reconciled
0K
2 US04.LT0.000003L5 Offsite Vault Library
                                                               Yes
                                              H1:10:39 No
       Pending confirmation
0K
  US04.LT0.000004L6 Offsite Vault Library
3
                                              H1:10:39 No
                                                               Yes
0K
       Pending confirmation
```

4 US04.L	T0.000005L6	Offsite	Vault	Library	H1:10:05	No	Yes
OK Pe	ending confir	mation					
5 US04.L	T0.00008L6	Offsite	Vault			No	No
NOT-OK Ak	osent from Sc	an-Map					
	_T0.000009L6	Offsite	Vault			No	Yes
OK Re	econciled						
	_T0.000010L6	-				No	Yes
NOT-OK Ur	nexpected in	Scan-Map					

Following the example data at the top of page we have:

- Volumes 000002L5 and 000009L6 are referenced as **Reconciled** as they are in the scan map, and confirmed in the current repository (Offsite Vault).
- Volumes 000003L5, 000004L6 and 000005L6 are referenced as **Pending confirmation** as they are in the scan map, and in a move from the current repository but not yet confirmed at the target repository.
- Volume 000008L6 is referenced as **Absent from Scan-Map** as it appears in TapeTrack as at the current repository but is absent from the scan map. This shows the volume is either somewhere it shouldn't be or is missing and as such is given a status of **NOT-OK** and is given an audit flag for further investigation.
- Volume 000010L6 is referenced as **Unexpected in Scan-Map** as it is present in the scan map as being at the current repository but shown in TapeTrack as being confirmed at another repository. As such is given a status of **NOT-OK** and is given an audit flag for further investigation.

Unreferenced Scan-Map Entries

This report shows Volumes that are in the Scan-Map, but are not known to TapeTrack.

System: TapeTrack Report Description: Phase 3: Unreferenced Scan-Map entries Production Time: Monday, March 19, 2018 - 10:21:34 (AUS Eastern Daylight Time) Report Width: 29 bytes Seq. Barcode 1 US04.LT0.111111L6

Reasons for this error could be:

- Volume does not belong to you but has been included with your volumes by operator error.
- Manually produced scan file with a typo on a volume ID.
- Volume added to inventory but not entered into TapeTrack.

Reconciliation Statistics

This report shows the final statistics for the Reconciliation process.

System: TapeTrack Report Description: Phase 4: Reconciliation Statistics Production Time: Monday, March 19, 2018 - 10:21:34 (AUS Eastern Time) Report Width: 75 bytes	Daylight
Metric Count	
Phase 1: Read from Scan-File Phase 1: Loaded successfully from Scan-File Phase 1: Loaded unsuccessfully from Scan-File	7 7 + 0
Phase 2: Reconciled Phase 2: Reconciled (Confirmed) Phase 2: Confirmation Bypass Phase 2: Pending confirmation Phase 2: Out of scope Phase 2: Absent from Scan-Map Phase 2: Unexpected in Scan-Map Phase 2: Overdue at subject repository Phase 2: Overdue at target repository	2 0 3 + 1 + 1 + 0 + 0
Phase 3: Unreferenced Scan-Map items Phase 4: Total Errors	3

Phase 1 Reads in volume ID's from the scan file, parses them (depending on format) into Customer ID, Media ID and volume ID. Metrics are then displayed as the number of volumes successfully and unsuccessfully loaded ready for reconciliation in phase two.

With the example data, all 7 entries were successfully loaded as fully qualified barcodes from the scan file into the scan map ready for reconciliation.

Phase 2

Reconciled shows number of volumes present in scan map and confirmed at subject repository. **Reconciled (Confirmed)** shows number of volumes confirmed into subject repository that were in a move to there and present in scan map. **Confirmation Bypass** (set as an attribute in TMSS10Reconcile) shows the number of volumes moving to subject repository and present in scan map, in a move status out of subject repository and yet to be confirmed at target repository. **Out of scope** shows the number of volumes in the customers inventory that are not referenced in the scan map and are listed in TapeTrack as being confirmed in a repository other than the subject repository. **Absent from Scan-Map** show the number of volumes expected to be either in, moving to or moving from the subject repository that are not listed in the scan map. Unexpected in Scan-Map Overdue at subject repository

Movement Aging Report

This report shows statistics on Volumes that remain in a Move Status after the Reconciliation has completed.

System: TapeTrack Report Description: Phase 4: Movement Aging Report Production Time: Monday, March 19, 2018 - 10:21:34 (AUS Eastern Daylight Time) Report Width: 40 bytes Duration Incoming Outgoing _ _ _ _ _ _ _ _ _ _ _ _ _ less than 1 day 0 3 less than 2 days 0 0 less than 3 days 0 0 less than 4 days 0 0 less than 5 days 0 0 less than 6 days 0 0 less than 7 days 0 0 less than 8 days 0 0 less than 9 days 0 0 9 or more days 0 0

From: https://rtfm.tapetrack.com/ - **TapeTrack Documentation**

Permanent link: https://rtfm.tapetrack.com/reports/reconciliation?rev=1522890670



Last update: 2025/01/21 22:07