

# Installing Linux i686

## Prerequisites

Redhat based Linux operating system:

- RedHat
- CentOS
- Fedora
- Oracle Linux
- ClearOS

Linux dependency libraries:

- glibc.i68
- zlib.i686
- libstdc++.i686
- libssh.i686

The following instructions are based around downloading and manually installing TapeTrack. To automate the installation and dependencies see [Installation using Linux Repository](#)

## Download and Install Linux RPM's -TapeTrack Framework Server

The two installation packages required for TapeTrack Server for Linux are:

32 Bit:

- [Client RPM Package](#)
- [Server RPM Package](#)

64 Bit:

- [Client RPM Package](#)
- [Server RPM Package](#)

Always install the Client RPM package first, as the Server RPM package depends on files located within the Client RPM package.

### Install the Client RPM package.

32 Bit:

```
rpm -i
```

```
https://mirror-us.tapetrack.com/Linux-i686/tapetrack-clients-latest.i386.rpm
```

64 Bit:

```
rpm -i  
https://mirror-us.tapetrack.com/Linux-x86_64/tapetrack-clients-2025.1-1.x86_64.rpm
```

### Install the Server RPM package.

32 Bit:

```
rpm -i  
https://mirror-us.tapetrack.com/Linux-i686/tapetrack-server-latest.i386.rpm
```

64 Bit:

```
rpm -i  
https://mirror-us.tapetrack.com/Linux-x86_64/tapetrack-server-2025.4-1.x86_64.rpm
```

## Download and Install TapeMaster and Server Utilities

As you are installing TapeTrack on a Linux server, you will also need to download and install TapeMaster and Server Utilities on a Windows machine (with network access to the Linux server) to access and administer the TapeTrack Server.

- Download [TapeMaster](#)
- Download [Server Utilities](#)

Install both programs by double-clicking the executables and following the installation wizards.

- Installing [TapeMaster](#)
- Installing [Server Utilities](#)

## Connecting TapeMaster to the Framework Server

1. Start TapeMaster and you will be prompted to add a new connection,
2. Follow [instructions](#) to add the connection details to your server and IP or DNS
3. Login to TapeMaster to test the connection is successful, using the username `tapemaster` and leaving the password blank.

# See Also

[Installing TapeTrack Via Repository](#)

From:

<https://rtfm.tapetrack.com/> - **TapeTrack Documentation**

Permanent link:

<https://rtfm.tapetrack.com/server/installing/linux>

Last update: **2026/05/29 04:12**

