# **Starting and Stopping the Service**

When performing tasks such as server maintenance it may be necessary to manually start and stop the TapeTrack Service.

# **Windows**

### **DOS Prompt**

From a DOS prompt started as Administrator you can run the following commands:

Microsoft Windows [Version 10.0.14393] (c) 2016 Microsoft Corporation. All rights reserved.


C:\WINDOWS\system32>net stop TMSS10SVC


The TapeTrack Media Management Framework Server service is stopping. The TapeTrack Media Management Framework Server service was stopped successfully.

C:\WINDOWS\system32>net start TMSS10SVC

The TapeTrack Media Management Framework Server service is starting. The TapeTrack Media Management Framework Server service was started successfully.


## **Windows Service Manager**





### **TapeTrack Server Helper**

Run the TapeTrack Server Helper App and click the Start or Stop Button in the Server Control Section.



## Linux

[root@gazillabyte ~]# service tapetrack stop
Stopping tapetrack (via systemctl): [ OK ]
[root@gazillabyte ~]# service tapetrack start

https://rtfm.tapetrack.com/ Printed on 2025/12/01 11:16

Starting tapetrack (via systemctl):

[ 0K ]

From:

https://rtfm.tapetrack.com/ - TapeTrack Documentation

Permanent link:

https://rtfm.tapetrack.com/server/start\_stop?rev=1510248465

Last update: 2025/01/21 22:07

