Starting and Stopping the Service

When performing tasks such as server maintenance it may be necessary to manually start and stop the TapeTrack Service.

Windows

DOS Prompt

From a DOS prompt started as Administrator you can run the following commands:

```
Microsoft Windows [Version 10.0.17134.523]
(c) 2018 Microsoft Corporation. All rights reserved.

C:\WINDOWS\system32>net stop tmss10svc
The TapeTrack Media Management Framework Server service is stopping......
The TapeTrack Media Management Framework Server service was stopped successfully.


C:\WINDOWS\system32>
```


```
Microsoft Windows [Version 10.0.17134.523]
(c) 2018 Microsoft Corporation. All rights reserved.

C:\WINDOWS\system32>net start tmss10svc
The TapeTrack Media Management Framework Server service is starting.....
The TapeTrack Media Management Framework Server service was started successfully.

C:\WINDOWS\system32>
```

Windows Service Manager






TapeTrack Server Helper

TapeTrack Server Helper can be found in th TapeTrack installation directory, default install location is C:\Program Files\TapeTrack\TapeTrack Framework Server\TMSS10ServerHelper.exe

Run the TapeTrack Server Helper App and click the Start or Stop button in the **Control Service** Section.

https://rtfm.tapetrack.com/ Printed on 2025/04/12 06:34



Linux

[root@gazillabyte ~]# service tapetrack stop
Stopping tapetrack (via systemctl): [OK]
[root@gazillabyte ~]# service tapetrack start
Starting tapetrack (via systemctl): [OK]

From:

https://rtfm.tapetrack.com/ - TapeTrack Documentation

Permanent link:

https://rtfm.tapetrack.com/server/start_stop?rev=1620175658

Last update: 2025/01/21 22:07

