

# Synchronization fields

The following Volume fields can be set by the synchronization process with the values extracted from the input source:

Field	Maximum Length	TapeTrack Field
CONTAINER	20	Fully qualified Container barcode
CUSTOMER	4	Customer-ID
DATACLUSTER	256	Data Cluster Value (Data Cluster must already exist)
DESCRIPTION	256	Volume Description (use program flag to set Extended Attributes)
ENCRYPTED	10	Is Volume encrypted (YES, NO, TRUE, FALSE)
EXPIRYDATE		
GENERATION		
HIDDEN		
HOMEREPOSITORY		
HOMESLOT		
INITIAL REPOSITORY		
MEDIA	4	Media-ID
MOUNTIME		
MOVEDATE	64	Move Date (must have <a href="#">SetMoveDateFormat</a> defined)
MOVELOCK		
QUALITYCHECK		
READTIME		
REPOSITORY	4	Repository-ID
REPOSITORY_DESC	20	Description of Repository (used to set the Repository-ID)
SCRATCH	10	Is Volume scratch (YES, NO, TRUE, FALSE)
SLOT	10	Slot for Repository.
STAGE		
STOCKID		
SYSTEM	10	System this Volume belongs to
USAGE		
USAGECOUNT		
VOLUME	10	Volume-ID
WRITETIME	64	Write Time (must have <a href="#">SetWriteTimeFormat</a> defined)

These fields can be set via:

- **SetLiteral:** Sets a literal value, used when the field value remains constant throughout the Sync process.
- **Extract:** Used to extract the data for the field from the input source.
- **Translate:** Used to set the field to another value based on the extracted value.
- **Translate2:** Used to set the field to another value based of comparing a second extracted field to a set value.

## Addition Sync Fields

Addition Sync fields that can be used to extract data into for comparison when using Translation statements. These are not fields that can be set directly in TapeTrack.

An example of this would be if User1 = legal\_hold then set Repository to HOLD.

Field
User1
User2
User3
User4
User5
User6
User7
User8
User9

From:  
<https://rtfm.tapetrack.com/> - **TapeTrack Documentation**

Permanent link:  
<https://rtfm.tapetrack.com/sync/fields?rev=1640837872>

Last update: **2025/01/21 22:07**

