

Barcode Definition Examples

For detailed information about Barcode Definitions and how to create/edit them see [Barcode Definitions](#).

| Special Characters | Special Character Description | Description |
|--------------------|-------------------------------|---|
| * | Asterisk | Wildcard that matches 0 or more characters |
| ? | Question mark | Represents one character |
| [] | Open and close square bracket | Specify an array of characters listed to match the specified character position |

For detailed information on special characters see [Pattern Matching](#)

Barcode Pattern Definition ????.*

- ? translates to a single character
- * translates as a wild card and matches anything

Edit Barcode
✕

| | |
|---------------------------|----------------------|
| Enabled | True |
| Barcode Description | Generic ????.* |
| Scope | |
| Barcode Pattern | ????[-]????[-]* |
| User Pattern | * |
| Range Start | |
| Range End | |
| Editing | |
| Edit Mask | 00000000000000000000 |
| Strip Characters | |
| Elements | |
| Customer-ID | |
| Use substring | True |
| Substring First Character | 1 |
| Substring Last Character | 4 |
| Media-ID | |
| Use substring | True |
| Substring First Character | 6 |
| Substring Last Character | 9 |
| Volume-ID | |
| Use substring | True |
| Substring First Character | 11 |
| Substring Last Character | 20 |

Barcode US01.CONT.CT100100

The filter will dissect the barcode to:

- Customer-ID: US01
- Media-ID: CONT
- Volume-ID: CT100100

Barcode Pattern Definition *? ?*

- ? translates to a single character
- * translates as a wild card and matches anything

| Edit Barcode | |
|---------------------|----------------------|
| Enabled | True |
| Barcode Description | Space Barcode Hash |
| Scope | |
| Barcode Pattern | *? ?* |
| User Pattern | * |
| Range Start | |
| Range End | |
| Editing | |
| Edit Mask | 00000000000000000000 |
| Strip Characters | |
| Elements | |
| Customer-ID | |
| Use substring | False |
| Literal | |
| Media-ID | |
| Use substring | False |
| Literal | |
| Volume-ID | |
| Use substring | False |
| Literal | # |

Volume-ID MONDAY WEEK ONE

The filter will hash the barcode to

- X-D8ED51DA

[technote](#), [barcode](#), [tapemaster](#)

From:
<https://rtfm.tapetrack.com/> - **TapeTrack Documentation**

Permanent link:
<https://rtfm.tapetrack.com/technote/barcode-interpretation-definition/examples?rev=1626743677>

Last update: **2025/01/21 22:07**

