

# Barcode Definition Examples

For detailed information about Barcode Definitions and how to create/edit them see [Barcode Definitions](#).

Special Characters	Special Character Description	Description
*	Asterisk	Wildcard that matches 0 or more characters
?	Question mark	Represents one character
[ ]	Open and close square bracket	Specify an array of characters listed to match the specified character position

For detailed information on special characters see [Pattern Matching](#)

## Barcode Pattern Definition ????.\*

- ? translates to a single character
- \* translates as a wild card and matches anything

Edit Barcode
✕

Enabled	True
Barcode Description	Generic ????.*
<b>Scope</b>	
Barcode Pattern	????[-]????[-]*
User Pattern	*
Range Start	
Range End	
<b>Editing</b>	
Edit Mask	00000000000000000000
Strip Characters	
<b>Elements</b>	
<b>Customer-ID</b>	
Use substring	True
Substring First Character	1
Substring Last Character	4
<b>Media-ID</b>	
Use substring	True
Substring First Character	6
Substring Last Character	9
<b>Volume-ID</b>	
Use substring	True
Substring First Character	11
Substring Last Character	20

Barcode US01.CONT.CT100100

The filter will dissect the barcode to:

- Customer-ID: US01
- Media-ID: CONT
- Volume-ID: CT100100

## Barcode Pattern Definition \*? ?\*

- ? translates to a single character
- \* translates as a wild card and matches anything

Edit Barcode	
Enabled	True
Barcode Description	Space Barcode Hash
Scope	
Barcode Pattern	*? ?*
User Pattern	*
Range Start	
Range End	
Editing	
Edit Mask	00000000000000000000
Strip Characters	
Elements	
Customer-ID	
Use substring	False
Literal	
Media-ID	
Use substring	False
Literal	
Volume-ID	
Use substring	False
Literal	#

Volume-ID MONDAY WEEK ONE

The filter will hash the barcode to

- X-D8ED51DA

[technote](#), [barcode](#), [tapemaster](#)

From:  
<https://rtfm.tapetrack.com/> - **TapeTrack Documentation**

Permanent link:  
<https://rtfm.tapetrack.com/technote/barcode-interpretation-definition/examples?rev=1626743677>

Last update: **2025/01/21 22:07**

