

Barcode Interpretation Definition

A Barcode Interpretation Definition uses a string pattern to identify the barcodes format and handle the barcode accordingly.

The string pattern allows the dissection, translation or substitution of a barcode to identify [Customer-ID](#), [Media-ID](#) and [Volume-ID](#).



To view, add, remove or alter current Barcode Interpretation Definitions, open the [Barcode Administration](#) window in TapeMaster.

Examples

Barcode Pattern Definition `????.????.*`

| Edit Barcode | |
|---------------------------|----------------------|
| Enabled | True |
| Barcode Description | Generic ?????.????.* |
| Scope | |
| Barcode Pattern | ????[-]????[-].* |
| User Pattern | * |
| Range Start | |
| Range End | |
| Editing | |
| Edit Mask | 00000000000000000000 |
| Strip Characters | |
| Elements | |
| Customer-ID | |
| Use substring | True |
| Substring First Character | 1 |
| Substring Last Character | 4 |
| Media-ID | |
| Use substring | True |
| Substring First Character | 6 |
| Substring Last Character | 9 |
| Volume-ID | |
| Use substring | True |
| Substring First Character | 11 |
| Substring Last Character | 20 |

Barcode US01.CONT.CT100100

The filter will dissect the barcode to

- Customer-ID: US01
- Media-ID: CONT
- Volume-ID: CT100100

Barcode Pattern Definition *? ?*

| | |
|---------------------|----------------------|
| Enabled | True |
| Barcode Description | Space Barcode Hash |
| [-] Scope | |
| Barcode Pattern | *? ?* |
| User Pattern | * |
| Range Start | |
| Range End | |
| [-] Editing | |
| Edit Mask | 00000000000000000000 |
| Strip Characters | |
| [-] Elements | |
| [-] Customer-ID | |
| Use substring | False |
| Literal | |
| [-] Media-ID | |
| Use substring | False |
| Literal | |
| [-] Volume-ID | |
| Use substring | False |
| Literal | # |

Volume-ID MONDAY WEEK ONE

The filter will hash the barcode to

- X-D8ED51DA

[technote](#), [barcode](#)

From:
<https://rtfm.tapetrack.com/> - **TapeTrack Documentation**

Permanent link:
<https://rtfm.tapetrack.com/technote/barcode-interpretation-definition?rev=1566180646>

Last update: **2025/01/21 22:07**

