

Diagnosing Command Line Utilities

All TapeTrack command line utilities have dual output streams when executed.

The stdout stream is used to pass the report or output from the utility, eg using TMSS10Inventory, the stdout stream passes the inventory report to the command prompt window, or file if the stream is redirected.

Sample Output

```

                System: TapeTrack
                Report ID: 100
    Report Description: Inventory List
                Production Time: Friday, July 04, 2025 - 13:08:27 (AUS Eastern Standard
    Time)
                Report Width: 164 bytes

    Seq.      Barcode      Location      Repository
    Expiry    Next Move  Last Move      GDup CDup Container
    -----
    -----
    -----
    1 US01.DLT.100224J6    No-Alloc [0]      Library
    Permanent Permanent      1    1
    2 US01.DLT.100248J6    No-Alloc [0]      Library
    Permanent Permanent      1    1
    3 US01.DLT.100256J6    No-Alloc [0]      Library
    Permanent Permanent      1    1
    4 US01.DLT.100542J6    No-Alloc [0]      Library
    Permanent Permanent      1    1
    -----
    -----
    -----
  
```

The stderr stream is used to provide diagnostic information and error messages, eg. using TMSS10Inventory, the stderr stream has information on the program, server statistics, attributes passed for execution, log in details and any errors that have occurred.

Sample Output

```

ZBT001N-13:05:14 TMSS10Inventory (c) GazillaByte 1998-2025
ZBT002N-13:05:14 Compiled Mar 15 2025 at 17:29:21
ZBT010I-13:05:14 this program produces an Inventory Report of all selected
Volumes
ZBT006N-13:05:14 Running Under Microsoft Windows (10.0.26100.4202 Desktop)
ZBT000N-13:05:14 Host is Little Endian
ZBT000N-13:05:14 Host is ASCII
ZBT000N-13:05:14 Binary is 64 bit
ZBT000N-13:05:14 Current Working Directory is
  
```


```
C:\Users\diff1\OneDrive\Desktop\temp\TMSS10Reconcile
ZBT000N-13:05:14 Executing Module is C:\Program Files\TapeTrack\TapeTrack
Server Utilities\bin\tapetrack\TMSS10Inventory.exe
ZBT004N-13:05:14 Today is Friday, July 04, 2025
ZBT005N-13:05:14 Running on GazillaByte
```

Locating The Stdout And Stderr Files

Command line programs, while they can be run directly in a command prompt, are usually executed via a batch file on Windows or bash script on Linux servers.

Locate Batch File Via Windows Scheduler

Open [Windows Scheduler](#), on the left panel, select the directory required to display the scheduled events in the top panel. Locate the process in question and select it to display the process detail in the lower panel. Selecting the Actions tab, the location of the batch file is described in the trigger start a program.



In this example you can see the batch file Daily.bat is located at C:\Program Files\TapeTrack\TapeTrack Framework Server\scripts

Locate Stdout And Stderr

navigate to the batch file using File Explorer, right click on the batch file and select Edit or Open in Notepad to view the code.

The file may contain different variables at the top, setting various actions for the creation of the report or task. Following this will be a line of code calling the command line program with various attributes followed by the redirections of the stdout and stderr streams.

```
TMSS10Inventory -S user:-pass@serveraddress -V "US01.*.*" >
./reports/Inventory_Report.txt 2> ./reports/Inventory_Report_stderr.txt
```

The redirect > redirects the stdout stream, Inventory_Report.txt, to the reports folder in the current directory.

The redirect 2> redirects the stderr stream, called Inventory_Report_stderr.txt to the reports folder in the current directory.

From:
<https://rtfm.tapetrack.com/> - **TapeTrack Documentation**

Permanent link:
https://rtfm.tapetrack.com/technote/command_line_diagnosis?rev=1751602412

Last update: **2025/07/04 04:13**

