


Deleting Volumes



You must have **Alter** rights to delete volumes

Select the required **Volume**, or range of **Volumes** from the Inventory window you want to delete.


Right click highlighted **Volume/s** and select **Delete**, or press Delete (DEL) on the keyboard.



The **Volume Deletion** window will display the **Repositories** where the volumes to be deleted are located in the top pane and Volume-ID's in the lower pane.




If the **Volume Deletion** window is not displayed it is because you are running an outdated version of TapeMaster. Instructions to delete volumes in older versions of TapeMaster can be found [here](#)




Each row in the top pane will, along with the repository description (or ID), list the number of volumes for deletion and the delete status of either **Deletes Allowed** or **Deletes Forbidden**.

For any repository listed with a status of **Deletes Forbidden** you must either:

- Right clicking the row and selecting Allow to change status to **Deletes Allowed**
- Right clicking the row and selecting Remove to remove the volumes before deletion of any volumes located in a repository with **Deletes Allowed** status.



Click **Delete Volumes** and **Yes** to the delete confirmation to delete the volumes.



As deleting volumes is permanent, clicking **No** to the delete confirmation is your last opportunity to cancel the delete function.



When a volume is deleted its historical entries remain in the database. If a deleted Volume is added back in to the database, all previous history records including when deleted and added back, are listed under that volumes History tab.

Edit Volume: 000000L5

General

Identity

References

Attributes

History

Notes

Options

Location

Advanced

Date	Type	From	To	Ago	User
Enter text here	Enter text here	Enter text here	Enter text here	Enter tex...	Enter...
2026-07-22 11:36:30	Added		Library	S6	doco
2026-07-22 11:36:17	Deleted	Library		S19	doco
2026-07-06 11:09:20	Added		Library	D16:00:27:16	tapemaster


Save

Cancel

Help

When a **Volume** is deleted its historical entries remain in the database. If a deleted **Volume** is added back into the database, all previous history records including when deleted and added back, are listed under that **Volumes** History tab.

As setting **Repository** to **Allow Deletes** alters the properties of that **Repository**, if required, reset the **Repository** to **no deletes** by right-clicking the required **Repository**, selecting Properties and change the Allow Deletes field in the Options tab to false.



[technote](#), [volumes](#), [delete](#), [master](#)

From:

<https://rtfm.tapetrack.com/> - **TapeTrack Documentation**

Permanent link:

https://rtfm.tapetrack.com/technote/delete_volumes?rev=1784682787

Last update: **2026/07/22 01:13**

