

Finding Host Address

Methods for finding Host address to connect TapeTrack Desktop and Command Line Software to the Framework Server.


Using Windows Command Prompt

Hostname

Enter the command hostname into the Command Prompt

```
hostname
```

The hostname will be displayed in the output.

A screenshot of a Windows Command Prompt window. The title bar reads "Command Prompt". The command prompt shows the current directory as "C:\Users\GazillaByte" and the user has entered the command "hostname". The output of the command is "GazillaByte".


```
Command Prompt
C:\Users\GazillaByte>hostname
GazillaByte
```

IPCONFIG


Enter the ipconfig command into the Command Prompt with the attribute /all

```
ipconfig /all
```

At the top of the output under the heading Windows IP Configuration will be the Host Name, in this example GazillaByte.



Further down in the output will be the IP4 address, under either the heading Ethernet adapter Ethernet if your connected by LAN cable or Wireless LAN adapter WI-Fi if your connected to a Wi-Fi network. In this example 192.168.10.96




Using Linux Command Line

Hostname

Enter the command hostname into the Command Line

```
hostname
```

The hostname will be displayed in the output.



From:
<https://rtfm.tapetrack.com/> - **TapeTrack Documentation**

Permanent link:
https://rtfm.tapetrack.com/technote/finding_host_address?rev=1626925067

Last update: **2025/01/21 22:07**

