
2025/10/12 02:02 1/5 User Groups


# **User Groups**

Groups are used to assign access privileges to a collection of users without the need to assign them to each user on an individual basis. This also makes it efficient to manage access changes to the entire group/s without the need to know what users belong to which group.

## **Adding a Group**




Select the Groups tab and right-click in the main window and select Add Group.



# **Edit New Group**

### Identity

In the Identity tab enter a unique Group-ID (max 10 alphanumeric characters) and a group description.



The Group-ID must:

- Be alphanumeric characters only
- Have no spaces or special characters
- Be 10 characters or less

#### **Roles**


Set positional role description required (optional) for hierarchy of users within the group. Roles rank from highest (0) to lowest (7)



Roles do not alter permissions of a User in the TapeMaster product, however, roles can be used in TapeTrack Lite to view Users and modify their information. Users of a lower Role-ID Number (0, 1 or 2) can view and modify Passwords for Users of a higher Role-ID Number using the User Management Task in TapeTrack Lite.

https://rtfm.tapetrack.com/ Printed on 2025/10/12 02:02


2025/10/12 02:02 3/5 User Groups



### Access

Assign group access by adding required ID/s or ID ranges Customer-ID field and changing to true the types of access needed.

- Read allows any user assigned to the group to read information on the defined Customer-ID.
- Write allows any user assigned to the group to write information on the defined Customer-ID.
- Alter allows any user assigned to the group to add or delete information on the defined Customer-ID.



Click Add to assign the Customer-ID and access rights. The assigned ID and rights will now be displayed on the right window and predicted access shown below. You can add as many Customer-ID and access rights combinations as required by repeating the above process.

Customer Filter Examples	
*	All customers
US*	All customers starting with US
US??	All four character customers starting with US
US01	Only US01

### **Options**

Set User-ID formats that any user assigned to this group must adhere to. If left as \* any ID format will be accepted.

https://rtfm.tapetrack.com/ Printed on 2025/10/12 02:02

2025/10/12 02:02 5/5 User Groups



User-ID Filter Examples		
*	Any format	
LB*	User-ID's must start with LB	
*LB	User-ID's must end with LB	
LB??????	User-ID's start with LB and be 8 characters long	

Click 0K to save new group.

# See Also

**User Rights** 

technote, user, tapemaster, lite

From:

https://rtfm.tapetrack.com/ - TapeTrack Documentation

Permanent link:

https://rtfm.tapetrack.com/technote/groups

Last update: 2025/07/30 01:34

