


# User Groups


## User Groups

Groups are used to assign access privileges to a collection of users without the need to assign them to each user on an individual basis. This also makes it efficient to manage access changes to the entire group/s without the need to know what users belong to which group.

### Adding and Managing a Group

 If creating a new group from the [Add a New User](#) window skip to [Edit New Group](#)

On the Administration drop-down menu in TapeTrack TapeMaster select Group/User Administration.




Select the Groups tab and right-click in the main window and select Add Group.



## Edit New Group

### Identity

In the Identity tab enter a unique Group-ID (max 10 alphanumeric characters) and a group description.



The Group-ID must:

- Be alphanumeric characters only
- Have no spaces or special characters
- Be 10 characters or less


### Roles

Set positional role description required (optional) for hierarchy of users within the group. Roles rank

from highest (0) to lowest (7)




Roles do not alter permissions of a User in the TapeMaster product, however, roles can be used in TapeTrack Lite to view Users and modify their information. Users of a lower Role-ID Number (0, 1 or 2) can view and modify Passwords for Users of a higher Role-ID Number using the [User Management](#) Task in [TapeTrack Lite](#).



## Access

Assign group access by adding required ID/s or ID ranges Customer - ID field and changing to true the types of access needed.

- **Read** allows any user assigned to the group to read information on the defined Customer-ID.
- **Write** allows any user assigned to the group to write information on the defined Customer-ID.
- **Alter** allows any user assigned to the group to add or delete information on the defined Customer-ID.




Click Add to assign the Customer-ID and access rights. The assigned ID and rights will now be displayed on the right window and predicted access shown below. You can add as many Customer-ID and access rights combinations as required by repeating the above process.

Customer Filter Examples	
*	All customers
US*	All customers starting with US
US??	All four character customers starting with US
US01	Only US01

### Options

Set User-ID formats that any user assigned to this group must adhere to. If left as \* any ID format will be accepted.



User-ID Filter Examples	
*	Any format
LB*	User-ID's must start with LB
*LB	User-ID's must end with LB
LB??????	User-ID's start with LB and be 8 characters long

Click OK to save new group.

2017/08/09 14:27 · Scott Cunliffe

## See Also

[User Rights](#)

[technote](#), [user](#), [tapemaster](#), [lite](#)

From: <https://rtfm.tapetrack.com/> - **TapeTrack Documentation**

Permanent link: <https://rtfm.tapetrack.com/technote/groups?rev=1753839141>

Last update: **2025/07/30 01:32**

