



User Groups

Groups are used to assign access privileges to a collection of users without the need to assign them to each user on an individual basis. This also makes it efficient to manage access changes to the entire group/s without the need to know what users belong to which group.

Adding a Group




Select the Groups tab and right-click in the main window and select Add Group.



Edit New Group

Identity

In the Identity tab enter a unique Group-ID (max 10 alphanumeric characters) and a group description.



The screenshot shows a window titled "Edit New Group" with a close button (X) in the top right corner. Below the title bar is a tabbed interface with four tabs: "Identity" (selected), "Roles", "Access", and "Options". The "Identity" tab contains a section labeled "Attributes" with two input fields: "Group-ID" containing the text "Tape_Lib" and "Description" containing the text "Tape Library".

The Group-ID must:


- Be alphanumeric characters only
- Have no spaces or special characters
- Be 10 characters or less

Roles

Set positional role description required (optional) for hierarchy of users within the group. Roles rank from highest (0) to lowest (7)



Roles do not alter permissions of a User in the TapeMaster product, however, roles can be used in TapeTrack Lite to view Users and modify their information. Users of a lower Role-ID Number (0, 1 or 2) can view and modify Passwords for Users of a higher Role-ID Number using the [User Management](#) Task in [TapeTrack Lite](#).



Access

Assign group access by adding required ID/s or ID ranges Customer-ID field and changing to true the types of access needed.

- Read allows any user assigned to the group to read information on the defined Customer-ID.
- Write allows any user assigned to the group to write information on the defined Customer-ID.
- Alter allows any user assigned to the group to add or delete information on the defined Customer-ID.

Edit New Group

Identity

Roles

Access

Options

Customer-ID

US*

Access

Read

True

Write

True

Alter

True

Add

Customer-ID

Access

US*

Read,Write,Alter

Access Prediction

Customer

Description

Access

US01

New York Data Center

Read,Write,Alter

US02

Los Angeles Data Center

Read,Write,Alter

US03

North Carolina Data Center A

Read,Write,Alter

Click Add to assign the Customer-ID and access rights. The assigned ID and rights will now be displayed on the right window and predicted access shown below. You can add as many Customer-ID and access rights combinations as required by repeating the above process.


Customer Filter Examples	
*	All customers
US*	All customers starting with US
US??	All four character customers starting with US
US01	Only US01

Options

Set User-ID formats that any user assigned to this group must adhere to. If left as * any ID format will be accepted.

<https://rtfm.tapetrack.com/>

Printed on 2026/07/21 19:36



User-ID Filter Examples	
*	Any format
LB*	User-ID's must start with LB
*LB	User-ID's must end with LB
LB??????	User-ID's start with LB and be 8 characters long

Click OK to save new group.

See Also

[User Rights](#)

[technote](#), [user](#), [tapemaster](#), [lite](#)

From:
<https://rtfm.tapetrack.com/> - **TapeTrack Documentation**

Permanent link:
<https://rtfm.tapetrack.com/technote/groups?rev=1753839266>

Last update: **2025/07/30 01:34**

