# Hiding Customers

💡 You need tapemaster rights to access the main menu to make any alterations

To Hide a Customer, in TapeMaster right click the required Customer-ID and select `Properties`.


From the `Edit Customer` window select the `Options` tab, set `Hide Customer` option to `True` and click `Save` to update data.

Once hidden, the Customer can be set to either be greyed out and inactive (not clickable)

or completely removed from display.

To have the hidden Customer displayed in a greyed out format:

- From the main menu, click `File > Preferences`

- In the options window, set `Show Hidden Customers` to `True`
- Click `Save` to update data.
- Click anywhere in the Customer Tree to set focus and on your keyboard click F5 to update display.

To have the hidden Customer removed from display:

- From the main menu, click `File > Preferences`

- In the options window, set `Show Hidden Customers` to `False`
- Click `Save` to update data.
- Click anywhere in the Customer Tree to set focus and on your keyboard click F5 to update display.

Unhiding Customers

Unhiding Customers is essentially the same procedure to hiding Customers but in the reverse order.

If you can see the hidden Customers but in a greyed out format you can skip this step.


If you can't see the hidden customer, from the Main Menu click `File > Preferences` to open the `Options` tab. Set the option `Show Hidden Customers` to `True`. Click `OK` to update the settings.

Any hidden Customers will now show in the Customer Tree as a Greyed out listing.

Right click on the required hidden Customer and select `Properties` to open the `Edit Customer` window. Select the `Options` tab and set the option `Hide Customer` to `False` and click `OK` to update the settings.

The Customer will no longer be hidden.

If you have other hidden Customers that you want removed from view remember to set the `Show hidden Customers` to `False` from the `Server Options` accessed from the Main Menu by clicking `File > Preferences`

[hidden](#), [media](#), [technote](#), [update doco](#)