

# Installing TapeTrack Via Repository

Tapetrack can be installed manually by downloading the Linux RPM's available at <https://mirror-us.tapetrack.com/> (see [Installing TapeTrack](#)), including adding the dependencies `glibc.i686`, `zlib.i686`, `libstdc++.i686`, `libssh.i686`.

The repository at <https://mirror-us.tapetrack.com/repodata/> allows you to download and install both TapeTrack and the required dependencies in an automated process.

## Prerequisites

Redhat based Linux operating system:

- RedHat
- CentOS
- Fedora
- Oracle Linux
- ClearOS

`dnf-plugins-core`

## Add TapeTrack Repository

Create file for repository `/etc/yum.repos.d/tapetrack.repo`.

```
cat > /etc/yum.repos.d/tapetrack.repo <<'EOF'  
[tapetrack]  
name=Tapetrack Repository  
baseurl=https://mirror-us.tapetrack.com/  
enabled=1  
gpgcheck=0  
repo_gpgcheck=0  
metadata_expire=300  
EOF
```

## Set permissions

```
chmod 644 /etc/yum.repos.d/tapetrack.repo
```

## Refresh Meta Data

```
dnf clean all
```

```
dnf makecache
```

## Verify Repository Works

```
dnf --disablerepo="*" --enablerepo="tapetrack" list available
```

## Install TapeTrack

```
dnf install 'tapetrack*'
```

[technote](#), [linux](#), [install](#), [repo](#)

From:

<https://rtfm.tapetrack.com/> - **TapeTrack Documentation**

Permanent link:

<https://rtfm.tapetrack.com/technote/linux-repository>

Last update: **2026/05/29 04:13**

