

# Lite Log Files

When completing functions in Lite, a log file is produced to record the User, Date, process and Volumes.

## Log File Location

When Lite is installed, the default location for the log files is in the Documents folder of the User the program is installed under, C:\Users\user\_name\Documents.

There are a couple of methods available to set the location the log file saves to if you don't want to utilize the default location.


### Setting Log File Location via Lite

When cycling through a main function in Lite (Scan-In, Scan-out, Send and Recall), after selecting the function and clicking Next you will be presented with the Options window.

To change the default directory, click in the field to the right of the Log File Folder and click on the (...) button and select the required directory to save the log file to.

This value will be recorded in the registry and held for future uses of Lite to write the log files to.

Ensure the directory you choose has the appropriate permissions for Lite to write to.



## Setting Log File Location via Lite Configuration File

Setting the directory to write the log file to via the configuration file not only sets the write location but also removes the Option window from the Lite processes, removing the operators ability to alter the directory from within Lite.

To set the directory via the configuration file, open TMSSLite.cfg with a text editor, such as Notepad, from the Lite installation directory. Default location is C:\Program Files\TapeTrack\TapeTrack Lite\TMSSLite.cfg .

Scroll down to the section

```
//  
// If you specify a valid logfile value the logfile dialog will not be  
displayed  
//  
// logfile="%HOMEDRIVE%%HOMEPATH%\Documents";
```

Remove the comments ( // ) from the line `logfile="%HOMEDRIVE%%HOMEPATH%\Documents";` and set the directory path to the folder you want the log files to save to.

egC:\Users\user\_name\Documents\Lite Log Files. The code block in the cfg file should now look like this: <sxh>

```
// If you specify a valid logfile value the logfile dialog will not be  
displayed  
//
```

```
logfile="C:\Users\user_name\Documents\Lite Log Files";
```

```
</sxh>
```

From:  
<https://rtfm.tapetrack.com/> - **TapeTrack Documentation**

Permanent link:  
[https://rtfm.tapetrack.com/technote/log\\_file?rev=1599618569](https://rtfm.tapetrack.com/technote/log_file?rev=1599618569)

Last update: **2025/01/21 22:07**

