Desktop Login Options

Desktop Direct Access

Users can log directly into TapeTrack Desktop programs using a correct and active TapeTrack User-ID and Password.

To login directly you will need to create a User and password using the Group/User Administration window.



If a User attempts to login to TapeTrack with an incorrect password for more than five times consecutively, the User-ID will have access revoked. To regain access you will need to reset the User-ID password.

Active Directory Access

Active Directory access gives a User the ability to login using their Active Directory credentials.

For this function to be accessible the TapeTrack User-ID must match their Active Directory user name and the Active Domain details entered in their User-ID identity tab in the field AD Domain.

If the field Require AD Group is set to False the User may login using either their Active Domain credentials or using their TapeTrack User-ID and password. If the field Require AD Group is set to True the User can only login using their Active Domain credentials.

Add New User ×				
🙎 Identity 🛫 IP Ranges 🔒 Access				
Ξ	Identity			
	ID	AD-usemame		
	Name	usemame		
B	Group			
	ID .	doco		
	Role	0: Documentation		
Ξ	Options			
	Administrative rights	False		
	Scan-In Only	False		
	Disabled	False		
	No Scanner	False		
	No Time-Out	False		
	tapemaster rights	False		
	Allow access inheritance	False		
	Certify	False		
	AD Domain	tapetrack.gazillabyte.com		
	Require AD Group	True		
	Client Access			
	TapeMaster	True		
	Lite	True		
	Checkpoint	False		
	Sync	True		
Ξ	Details			
	Email Address	myemail@gazillabyte.com		
	Description			
Ξ	Defaults			
	Customer-ID	<no selection=""></no>		
		Save Cancel Help		

Image shows sample data to illustrate where to enter the required information for Active Directory authentication. You will need to insert your information to create a successful connection.

Active Directory Group Access

Kerberos Single Sign On

Having Kerberos Single Sign On enabled will allow TapeTrack to automatically authenticate the User using Windows Active Domain credentials used to login to their computer without having to login to TapeTrack individually.

To enable Kerberos Single Sign On, when setting up the connection set Use Single-Sign-On field to True.

For this function to be accessible the TapeTrack User-ID must match their Active Directory user name and the Active Domain details entered in their User-ID identity tab in the field AD Domain.

As this function is based on a connection setup for each client computer, it can be enabled or disabled per computer as required.

Server Information				
Server Name	My Server			
Server Address	tapetrack.mycompany.com			
Server Port	5000			
Use HTTP Proxy	False			
Use Single Sign-On	True •			
Use Single Sign-On Use Kerberos Single Sign-On to connect to this TapeTrack Server				
	OK Cancel			

From: https://rtfm.tapetrack.com/ - TapeTrack Documentation

Permanent link: https://rtfm.tapetrack.com/technote/login_options?rev=1629337192



Last update: 2025/01/21 22:07