


PDF Output Error Codes

When creating PDF output from the TapeTrack Command Line Programs, the program may write an error code value to the stdout stream.



Information on these errors can be found at the URL:

- <https://github.com/libharu/libharu/wiki/Error-handling>

Summary Of Error Codes:

| Name | Value | Description |
|-----------------------------------|--------|---|
| HPDF_ARRAY_COUNT_ERR | 0x1001 | Internal error. Data consistency was lost. |
| HPDF_ARRAY_ITEM_NOT_FOUND | 0x1002 | Internal error. Data consistency was lost. |
| HPDF_ARRAY_ITEM_UNEXPECTED_TYPE | 0x1003 | Internal error. Data consistency was lost. |
| HPDF_BINARY_LENGTH_ERR | 0x1004 | Data length > HPDF_LIMIT_MAX_STRING_LEN. |
| HPDF_CANNOT_GET_PALLET | 0x1005 | Cannot get pallet data from PNG image. |
| | 0x1006 | |
| HPDF_DICT_COUNT_ERR | 0x1007 | Dictionary elements > HPDF_LIMIT_MAX_DICT_ELEMENT |
| HPDF_DICT_ITEM_NOT_FOUND | 0x1008 | Internal error. Data consistency was lost. |
| HPDF_DICT_ITEM_UNEXPECTED_TYPE | 0x1009 | Internal error. Data consistency was lost. |
| HPDF_DICT_STREAM_LENGTH_NOT_FOUND | 0x100A | Internal error. Data consistency was lost. |
| HPDF_DOC_ENCRYPTDICT_NOT_FOUND | 0x100B | HPDF_SetEncryptMode() or HPDF_SetPermission() called before password set. |
| HPDF_DOC_INVALID_OBJECT | 0x100C | Internal error. Data consistency was lost. |
| | 0x100D | |
| HPDF_DUPLICATE_REGISTRATION | 0x100E | Tried to re-register a registered font. |
| HPDF_EXCEED_JWW_CODE_NUM_LIMIT | 0x100F | Cannot register a character to the Japanese word wrap characters list. |
| | 0x1010 | |
| HPDF_ENCRYPT_INVALID_PASSWORD | 0x1011 | 1. Tried to set the owner password to NULL. |
| | | 2. Owner and user password are the same. |
| | 0x1012 | |

| Name | Value | Description |
|--------------------------------|--------|--|
| HPDF_ERR_UNKNOWN_CLASS | 0x1013 | Internal error. Data consistency was lost. |
| HPDF_EXCEED_GSTATE_LIMIT | 0x1014 | Stack depth > HPDF_LIMIT_MAX_GSTATE. |
| HPDF_FAILED_TO_ALLOC_MEM | 0x1015 | Memory allocation failed. |
| HPDF_FILE_IO_ERROR | 0x1016 | File processing failed. (Detailed code is set.) |
| HPDF_FILE_OPEN_ERROR | 0x1017 | Cannot open a file. (Detailed code is set.) |
| | 0x1018 | |
| HPDF_FONT_EXISTS | 0x1019 | Tried to load a font that has been registered. |
| HPDF_FONT_INVALID_WIDTHS_TABLE | 0x101A | 1. Font-file format is invalid. |
| | | 2. Internal error. Data consistency was lost. |
| HPDF_INVALID_AFM_HEADER | 0x101B | Cannot recognize header of afm file. |
| HPDF_INVALID_ANNOTATION | 0x101C | Specified annotation handle is invalid. |
| | 0x101D | |
| HPDF_INVALID_BIT_PER_COMPONENT | 0x101E | Bit-per-component of a image which was set as mask-image is invalid. |
| HPDF_INVALID_CHAR_MATRICS_DATA | 0x101F | Cannot recognize char-metrics-data of afm file. |
| HPDF_INVALID_COLOR_SPACE | 0x1020 | 1. Invalid color_space parameter of HPDF_LoadRawImage. |
| | | 2. Color-space of a image which was set as mask-image is invalid. |
| | | 3. Invoked function invalid in present color-space. |
| HPDF_INVALID_COMPRESSION_MODE | 0x1021 | Invalid value set when invoking HPDF_SetCompressionMode(). |
| HPDF_INVALID_DATE_TIME | 0x1022 | An invalid date-time value was set. |
| HPDF_INVALID_DESTINATION | 0x1023 | An invalid destination handle was set. |
| | 0x1024 | |
| HPDF_INVALID_DOCUMENT | 0x1025 | An invalid document handle was set. |
| HPDF_INVALID_DOCUMENT_STATE | 0x1026 | Function invalid in the present state was invoked. |
| HPDF_INVALID_ENCODER | 0x1027 | An invalid encoder handle was set. |
| HPDF_INVALID_ENCODER_TYPE | 0x1028 | Combination between font and encoder is wrong. |
| | 0x1029 | |
| | 0x102A | |
| HPDF_INVALID_ENCODING_NAME | 0x102B | An Invalid encoding name is specified. |
| HPDF_INVALID_ENCRYPT_KEY_LEN | 0x102C | Encryption key length is invalid. |
| HPDF_INVALID_FONTDEF_DATA | 0x102D | 1. An invalid font handle was set. |
| | | 2. Unsupported font format. |
| HPDF_INVALID_FONTDEF_TYPE | 0x102E | Internal error. Data consistency was lost. |
| HPDF_INVALID_FONT_NAME | 0x102F | Font with the specified name is not found. |
| HPDF_INVALID_IMAGE | 0x1030 | Unsupported image format. |
| HPDF_INVALID_JPEG_DATA | 0x1031 | Unsupported image format. |
| HPDF_INVALID_N_DATA | 0x1032 | Cannot read a postscript-name from an afm file. |
| HPDF_INVALID_OBJECT | 0x1033 | 1. An invalid object is set. |
| | | 2. Internal error. Data consistency was lost. |

| Name | Value | Description |
|---------------------------------|--------|--|
| HPDF_INVALID_OBJ_ID | 0x1034 | Internal error. Data consistency was lost. |
| HPDF_INVALID_OPERATION | 0x1035 | Invoked HPDF_Image_SetColorMask() against the image-object which was set a mask-image. |
| HPDF_INVALID_OUTLINE | 0x1036 | An invalid outline-handle was specified. |
| HPDF_INVALID_PAGE | 0x1037 | An invalid page-handle was specified. |
| HPDF_INVALID_PAGES | 0x1038 | An invalid pages-handle was specified. (internal error) |
| HPDF_INVALID_PARAMETER | 0x1039 | An invalid value is set. |
| | 0x103A | |
| HPDF_INVALID_PNG_IMAGE | 0x103B | Invalid PNG image format. |
| HPDF_INVALID_STREAM | 0x103C | Internal error. Data consistency was lost. |
| HPDF_MISSING_FILE_NAME_ENTRY | 0x103D | Internal error. “_FILE_NAME” entry for delayed loading is missing. |
| | 0x103E | |
| HPDF_INVALID_TTC_FILE | 0x103F | Invalid .TTC file format. |
| HPDF_INVALID_TTC_INDEX | 0x1040 | Index parameter > number of included fonts. |
| HPDF_INVALID_WX_DATA | 0x1041 | Cannot read a width-data from an afm file. |
| HPDF_ITEM_NOT_FOUND | 0x1042 | Internal error. Data consistency was lost. |
| HPDF_LIBPNG_ERROR | 0x1043 | Error returned from PNGLIB while loading image. |
| HPDF_NAME_INVALID_VALUE | 0x1044 | Internal error. Data consistency was lost. |
| HPDF_NAME_OUT_OF_RANGE | 0x1045 | Internal error. Data consistency was lost. |
| | 0x1046 | |
| | 0x1047 | |
| | 0x1048 | |
| HPDF_PAGES_MISSING_KIDS_ENTRY | 0x1049 | Internal error. Data consistency was lost. |
| HPDF_PAGE_CANNOT_FIND_OBJECT | 0x104A | Internal error. Data consistency was lost. |
| HPDF_PAGE_CANNOT_GET_ROOT_PAGES | 0x104B | Internal error. Data consistency was lost. |
| HPDF_PAGE_CANNOT_RESTORE_GSTATE | 0x104C | There are no graphics-states to be restored. |
| HPDF_PAGE_CANNOT_SET_PARENT | 0x104D | Internal error. Data consistency was lost. |
| HPDF_PAGE_FONT_NOT_FOUND | 0x104E | The current font is not set. |
| HPDF_PAGE_INVALID_FONT | 0x104F | An invalid font-handle was specified. |
| HPDF_PAGE_INVALID_FONT_SIZE | 0x1050 | An invalid font-size was set. |
| HPDF_PAGE_INVALID_GMODE | 0x1051 | See Graphics mode. |
| HPDF_PAGE_INVALID_INDEX | 0x1052 | Internal error. Data consistency was lost. |
| HPDF_PAGE_INVALID_ROTATE_VALUE | 0x1053 | Specified value is not multiple of 90. |
| HPDF_PAGE_INVALID_SIZE | 0x1054 | An invalid page-size was set. |
| HPDF_PAGE_INVALID_XOBJECT | 0x1055 | An invalid image-handle was set. |
| HPDF_PAGE_OUT_OF_RANGE | 0x1056 | The specified value is out of range. |
| HPDF_REAL_OUT_OF_RANGE | 0x1057 | The specified value is out of range. |
| HPDF_STREAM_EOF | 0x1058 | Unexpected EOF marker was detected. |
| HPDF_STREAM_READLN_CONTINUE | 0x1059 | Internal error. Data consistency was lost. |
| | 0x105A | |
| HPDF_STRING_OUT_OF_RANGE | 0x105B | The length of the text is too long. |
| HPDF_THIS_FUNC_WAS_SKIPPED | 0x105C | Function not executed because of other errors. |

| Name | Value | Description |
|---------------------------------|--------|---|
| HPDF_TTF_CANNOT_EMBEDDING_FONT | 0x105D | Font cannot be embedded. (license restriction) |
| HPDF_TTF_INVALID_CMAP | 0x105E | Unsupported ttf format. (cannot find unicode cmap) |
| HPDF_TTF_INVALID_FOMAT | 0x105F | Unsupported ttf format. |
| HPDF_TTF_MISSING_TABLE | 0x1060 | Unsupported ttf format. (cannot find a necessary table) |
| HPDF_UNSUPPORTED_FONT_TYPE | 0x1061 | Internal error. Data consistency was lost. |
| HPDF_UNSUPPORTED_FUNC | 0x1062 | 1. Library not configured to use PNGLIB. 2. Internal error. Data consistency was lost. |
| HPDF_UNSUPPORTED_JPEG_FORMAT | 0x1063 | Unsupported JPEG format. |
| HPDF_UNSUPPORTED_TYPE1_FONT | 0x1064 | Failed to parse .PFB file. |
| HPDF_XREF_COUNT_ERR | 0x1065 | Internal error. Data consistency was lost. |
| HPDF_ZLIB_ERROR | 0x1066 | Error while executing ZLIB function. |
| HPDF_INVALID_PAGE_INDEX | 0x1067 | An invalid page index was passed. |
| HPDF_INVALID_URI | 0x1068 | An invalid URI was set. |
| HPDF_PAGELAYOUT_OUT_OF_RANGE | 0x1069 | An invalid page-layout was set. |
| | 0x106A | |
| | 0x106B | |
| | 0x106C | |
| | 0x106D | |
| | 0x106E | |
| | 0x106F | |
| HPDF_PAGEMODE_OUT_OF_RANGE | 0x1070 | An invalid page-mode was set. |
| HPDF_PAGENUM_STYLE_OUT_OF_RANGE | 0x1071 | An invalid page-num-style was set. |
| HPDF_ANNOT_INVALID_ICON | 0x1072 | An invalid icon was set. |
| HPDF_ANNOT_INVALID_BORDER_STYLE | 0x1073 | An invalid border-style was set. |
| HPDF_PAGE_INVALID_DIRECTION | 0x1074 | An invalid page-direction was set. |
| HPDF_INVALID_FONT | 0x1075 | An invalid font-handle was specified. |

[technote](#), [pdf](#), [error code](#), [cli](#)

From:

<https://rtfm.tapetrack.com/> - **TapeTrack Documentation**

Permanent link:

https://rtfm.tapetrack.com/technote/pdf_error_codes

Last update: **2025/01/21 22:07**

