

TMSS10VolumeDelete Examples

Files needed to delete [Volumes](#) from a defined list from nominated [Customer-ID](#) and [Media-ID](#) using [TMSS10VolumeDelete](#).

Examples

Delete Volumes From CSV List

Delete [Volumes](#) from TapeTrack from a CSV list, using set [Customer-ID](#) and [Media-ID](#) Files Required:

- CSV file of required [Volumes](#)
- Configuration file
- TTIDEF definition file

CSV File

CSV File **volumes.csv**

```
100011L4
100012L4
100023L4
100025L4
100026L4
```

TTIDEF File

TTIDEF File **default.ttidef**

Set CSV delimiter to comma, [Customer-ID](#) to US01, [Media-ID](#) to LTO and extract Barcode value from column one.

```
SetCSVDelimiter(",");

SetLiteral(CUSTOMER, "US04");
SetLiteral(MEDIA, "LTO");

Extract(BARCODE, 1, 8, 0);
```

Configuration File

Load Scanfile of [Volume-ID's](#), traverse input file.

If [Volume-ID](#) is present in the Scanfile delete [Volume](#), if not skip [Volume](#).

Configuration File **master.cfg**

```
report =
{
  format = "csv";
};
traversal =
{
  scanfile= { file="default.ttidef"; };
  customer =
  (
    {
      id="*";
      media =
      (
        {
          id="*";
          volume =
          (
            {
              id="*";
              scanfile = true;
              skip=false;
            },
            {
              id="*";
              skip=true;
            }
          );
        }
      );
    }
  );
};
```

Command Line Syntax

Delete all [Volumes](#) in volumes.csv from [Customer-ID](#) US01 and [Media-ID](#) LTO

```
TMSS10VolumeDelete -S user:-password@server -c master.cfg -l -r * <
volumes.csv
```

[technote](#), [cli](#)

From:

<https://rtfm.tapetrack.com/> - **TapeTrack Documentation**

Permanent link:

<https://rtfm.tapetrack.com/technote/tmss10volumedelete?rev=1626923611>

Last update: **2025/01/21 22:07**

