

# Technotes

- [Add Or Remove Flags Based Off Last Read Time](#)
- [Add TapeTrack Sync And Utilities To Linux](#)
- [Adding A New User](#)
- [Adding And Removing Registry Key Checkpoint Start-up](#)
- [Adding And Removing Registry Key Lite Start-up](#)
- [Adding And Removing Registry Key TapeMaster Start-up](#)
- [Adding New Volumes In Lite](#)
- [Adding Registry Key For Desktop Software Start-up Conformation](#)
- [Adjusting Slot Allocation](#)
- [Barcode Definition Examples](#)
- [Barcode Processing](#)
- [Barcodes Longer Than 10 Characters In Length](#)
- [Batch Files](#)
- [Cannot update slot to zero](#)
- [Certificates - Export](#)
- [Changing Connection Port Allocation](#)
- [Clearing The Database](#)
- [Clearing The Entire Database](#)
- [Configuration File](#)
- [Configuring TapeMaster Commands](#)
- [Control Keys](#)
- [Create Export File](#)
- [Creating A PDF Report](#)
- [Creating Reports](#)
- [Database Output Files](#)
- [Decommissioning Server Replication](#)
- [Deleting Volumes](#)
- [Desktop Login Options](#)
- [Desktop Software Configuration File](#)
- [Diagnosing Command Line Utilities](#)
- [Disable The Replication Subsystem](#)
- [Disabling Journal And Volume History Entries](#)
- [eBPF Configuration](#)
- [Editing The Registry](#)
- [Excel Import - Container Table](#)
- [Executing Sync Using Netcat](#)
- [Export License](#)
- [Export User-ID's](#)
- [Extracting a TapeTrack MSI from the setup.exe](#)
- [Filtering Journal Output](#)
- [Framework Server Command Line Arguments](#)

- [Function Keys](#)
- [FUZZY Matching](#)
- [GeoIP](#)
- [Hiding Customers](#)
- [Hiding Media Types](#)
- [Hiding Objects](#)
- [Hiding Volumes](#)
- [Importing Volumes And Volume Data From Excel Spreadsheets](#)
- [Installing Lite](#)
- [Installing TapeMaster](#)
- [Inventory Examples](#)
- [Labelling Gemtrac Racks](#)
- [Labelling Promedia Drawers](#)
- [Labelling Storage](#)
- [Linux Shared Objects](#)
- [LIST Matching \(Using External Pattern Files\)](#)
- [List Storage History Reports](#)
- [Lite Configuration File](#)
- [Microsoft Visual C++ 2015 - 2022 Redistributable Package](#)
- [Migrating TapeTrack To A New Server](#)
- [Modulo 43 Barcodes](#)
- [Move Volumes By Expiry Date](#)
- [Moving Volumes Automatically By Move Date](#)
- [MT2090 Setup](#)
- [Netcat on Linux](#)
- [Odpapi-v1 Adapter](#)
- [One Time Password](#)
- [Opening TapeTrack Desktop Software Via Web Browser](#)
- [Opening Windows Command Line Prompt](#)
- [Pattern Matching And Filter Strings](#)
- [PDF Output Error Codes](#)
- [Preparing Racking And Volumes For Slotting](#)
- [Printing Barcodes](#)
- [Printing Unqualified Barcode Labels](#)
- [Program Failure](#)
- [Re-slotting Volumes Within The Same Repository](#)
- [REG Matching](#)
- [Remove Slot Level Display In TapeMaster](#)
- [Removing Volume History](#)
- [Removing Volume Indexes](#)
- [Removing Volumes, History And Attributes](#)
- [Renaming Volume-ID's Using A Batch File](#)
- [Report Output Formats](#)
- [Reports - Inventory](#)

- [Reports - Zones](#)
- [Repository Reports](#)
- [Restricting Allowable Volume-ID's](#)
- [Restricting Which Volume-ID's Can Be Moved To A Repository.](#)
- [Running Syncs with incron](#)
- [Running TapeTrack Utilities via Apache CGI](#)
- [Scan To Slot Via Repository Usage Map](#)
- [Scan To Slot Via Special Operations Slot Allocation](#)
- [Server Installer Variables](#)
- [Server: Anti-Throttle and Anti-Hacking](#)
- [Setting Environmental Variables](#)
- [Setting Expiry Dates](#)
- [Sharing Containers Between Customers With Lite Scan-Out](#)
- [Slot Numbering](#)
- [TapeMaster Startup Message](#)
- [TapeTrack Configuration](#)
- [The Problem with Tape Management](#)
- [TMSS10LibraryHealth Reports](#)
- [TMSS10ListCatalog Reports](#)
- [TMSS10ListConsignments Reports](#)
- [TMSS10ListDRStrategies Reports](#)
- [TMSS10ListHistory Reports](#)
- [TMSS10ListMoveHistory Reports](#)
- [TMSS10ListStorageHistory Reports](#)
- [TMSS10LogStatsProcess Reports](#)
- [TMSS10MoveList Reports](#)
- [TMSS10VolumeDelete Examples](#)
- [Transferring files via SFTP](#)
- [Upgrading](#)
- [Upgrading Checkpoint](#)
- [Upgrading Framework Server](#)
- [Upgrading Lite](#)
- [Upgrading Server Utilities](#)
- [Upgrading TapeMaster](#)
- [User Access Rights](#)
- [User Groups](#)
- [Using Windows Scheduler To Execute A Batch File](#)
- [Volumes Added Within A Defined Date Range, Currently Located In A Selected Repository](#)

## TapeMaster

- [Adding A New User](#)
- [Adjusting Slot Allocation](#)
- [Barcode Definition Examples](#)

- [Cannot update slot to zero](#)
- [Certificates - Export](#)
- [Configuring TapeMaster Commands](#)
- [Control Keys](#)
- [Create Export File](#)
- [Creating Reports](#)
- [Desktop Software Configuration File](#)
- [Export License](#)
- [Export User-ID's](#)
- [Function Keys](#)
- [Hiding Objects](#)
- [Hiding Volumes](#)
- [Importing Volumes And Volume Data From Excel Spreadsheets](#)
- [Move Volumes By Expiry Date](#)
- [Moving Volumes Automatically By Move Date](#)
- [One Time Password](#)
- [Opening TapeTrack Desktop Software Via Web Browser](#)
- [Pattern Matching And Filter Strings](#)
- [Printing Unqualified Barcode Labels](#)
- [Program Failure](#)
- [Re-slotting Volumes Within The Same Repository](#)
- [Remove Slot Level Display In TapeMaster](#)
- [Reports - Inventory](#)
- [Repository Reports](#)
- [Restricting Allowable Volume-ID's](#)
- [Restricting Which Volume-ID's Can Be Moved To A Repository.](#)
- [Scan To Slot Via Repository Usage Map](#)
- [Setting Environmental Variables](#)
- [Setting Expiry Dates](#)
- [Slot Numbering](#)
- [TapeMaster Startup Message](#)
- [Upgrading TapeMaster](#)
- [User Access Rights](#)
- [User Groups](#)

## Lite

- [Adding A New User](#)
- [Adding And Removing Registry Key Lite Start-up](#)
- [Adding New Volumes In Lite](#)
- [Adding Registry Key For Desktop Software Start-up Conformation](#)
- [Changing Connection Port Allocation](#)
- [Control Keys](#)
- [Creating Reports](#)

- Desktop Login Options
- Desktop Software Configuration File
- Function Keys
- Importing Volumes And Volume Data From Excel Spreadsheets
- Installing Lite
- Lite Configuration File
- One Time Password
- Pattern Matching And Filter Strings
- Repository Reports
- Setting Environmental Variables
- Setting Expiry Dates
- Sharing Containers Between Customers With Lite Scan-Out
- Upgrading Lite
- User Access Rights
- User Groups

## Checkpoint

- Adding And Removing Registry Key Checkpoint Start-up
- Changing Connection Port Allocation
- Control Keys
- Desktop Login Options
- Function Keys
- Labelling Storage
- One Time Password
- Program Failure
- Setting Environmental Variables
- Upgrading Checkpoint

## Framework Server

- Changing Connection Port Allocation
- Database Output Files
- Decommissioning Server Replication
- Disable The Replication Subsystem
- Disabling Journal And Volume History Entries
- eBPF Configuration
- Framework Server Command Line Arguments
- GeolP
- Migrating TapeTrack To A New Server
- One Time Password
- Removing Volume History
- Removing Volume Indexes
- Removing Volumes, History And Attributes

- [Server: Anti-Throttle and Anti-Hacking](#)
- [Upgrading](#)
- [Upgrading Framework Server](#)

## Barcodes

- [Barcode Definition Examples](#)
- [Barcode Processing](#)
- [Barcodes Longer Than 10 Characters In Length](#)
- [Modulo 43 Barcodes](#)
- [MT2090 Setup](#)
- [Printing Barcodes](#)
- [Printing Unqualified Barcode Labels](#)

## Slotting

- [Adjusting Slot Allocation](#)
- [Cannot update slot to zero](#)
- [Labelling Gemtrac Racks](#)
- [Labelling Promedia Drawers](#)
- [Labelling Storage](#)
- [Preparing Racking And Volumes For Slotting](#)
- [Re-slotting Volumes Within The Same Repository](#)
- [Remove Slot Level Display In TapeMaster](#)
- [Scan To Slot Via Repository Usage Map](#)
- [Scan To Slot Via Special Operations Slot Allocation](#)
- [Slot Numbering](#)

## Command Line

- [Add Or Remove Flags Based Off Last Read Time](#)
- [Configuration File](#)
- [Configuring TapeMaster Commands](#)
- [Creating A PDF Report](#)
- [Creating Reports](#)
- [Diagnosing Command Line Utilities](#)
- [Disable The Replication Subsystem](#)
- [Filtering Journal Output](#)
- [Hiding Volumes](#)
- [Inventory Examples](#)
- [List Storage History Reports](#)
- [Move Volumes By Expiry Date](#)
- [Moving Volumes Automatically By Move Date](#)
- [Opening Windows Command Line Prompt](#)

- [Pattern Matching And Filter Strings](#)
- [PDF Output Error Codes](#)
- [Program Failure](#)
- [Renaming Volume-ID's Using A Batch File](#)
- [Report Output Formats](#)
- [Reports - Inventory](#)
- [Repository Reports](#)
- [Running TapeTrack Utilities via Apache CGI](#)
- [Setting Expiry Dates](#)
- [TMSS10LibraryHealth Reports](#)
- [TMSS10ListCatalog Reports](#)
- [TMSS10ListConsignments Reports](#)
- [TMSS10ListDRStrategies Reports](#)
- [TMSS10ListHistory Reports](#)
- [TMSS10ListMoveHistory Reports](#)
- [TMSS10ListStorageHistory Reports](#)
- [TMSS10LogStatsProcess Reports](#)
- [TMSS10VolumeDelete Examples](#)
- [Volumes Added Within A Defined Date Range, Currently Located In A Selected Repository](#)

## Import Export

- [Excel Import - Container Table](#)
- [Importing Volumes And Volume Data From Excel Spreadsheets](#)

## Files

- [Extracting a TapeTrack MSI from the setup.exe](#)
- [Transferring files via SFTP](#)

## Installation

- [Add TapeTrack Sync And Utilities To Linux](#)
- [Extracting a TapeTrack MSI from the setup.exe](#)
- [Installing Lite](#)
- [Installing TapeMaster](#)

## Database

- [Clearing The Database](#)
- [Clearing The Entire Database](#)
- [Database Output Files](#)
- [Removing Volume Indexes](#)
- [Removing Volumes, History And Attributes](#)

- [Server Installer Variables](#)

## Reconciliation

- [Certificates - Export](#)

## Replication

- [Decommissioning Server Replication](#)
- [Disable The Replication Subsystem](#)

## Reports

- [Certificates - Export](#)
- [Creating Reports](#)
- [Export User-ID's](#)
- [Inventory Examples](#)
- [List Storage History Reports](#)
- [Opening Windows Command Line Prompt](#)
- [Reports - Inventory](#)
- [Reports - Zones](#)
- [Repository Reports](#)
- [Running TapeTrack Utilities via Apache CGI](#)
- [Server Installer Variables](#)
- [TMSS10LogStatsProcess Reports](#)

## Configuration

- [Add Or Remove Flags Based Off Last Read Time](#)
- [Configuration File](#)
- [Desktop Software Configuration File](#)
- [Lite Configuration File](#)
- [Remove Slot Level Display In TapeMaster](#)
- [Renaming Volume-ID's Using A Batch File](#)
- [Setting Environmental Variables](#)
- [Sharing Containers Between Customers With Lite Scan-Out](#)
- [Slot Numbering](#)
- [Volumes Added Within A Defined Date Range, Currently Located In A Selected Repository](#)

## Registry

- [Adding And Removing Registry Key Checkpoint Start-up](#)
- [Adding And Removing Registry Key Lite Start-up](#)
- [Adding And Removing Registry Key TapeMaster Start-up](#)
- [Adding Registry Key For Desktop Software Start-up Conformation](#)

- [Decommissioning Server Replication](#)
- [Disable The Replication Subsystem](#)
- [Disabling Journal And Volume History Entries](#)
- [Editing The Registry](#)
- [TapeMaster Startup Message](#)

## Linux

- [Add TapeTrack Sync And Utilities To Linux](#)
- [eBPF Configuration](#)
- [Executing Sync Using Netcat](#)
- [Linux Shared Objects](#)
- [Netcat on Linux](#)
- [Running Syncs with incron](#)
- [Server: Anti-Throttle and Anti-Hacking](#)
- [Setting Environmental Variables](#)

## Visual C++ Runtime

- [Microsoft Visual C++ 2015 - 2022 Redistributable Package](#)
- [Upgrading](#)

From:

<https://rtfm.tapetrack.com/> - **TapeTrack Documentation**

Permanent link:

<https://rtfm.tapetrack.com/technote?rev=1603846184>

Last update: **2025/01/21 22:07**

