

Technotes

Technotes provide methods and instructions on how to do many TapeTrack procedures in your daily tape management processes.

Technotes are separated into main topics and/or TapeTrack Software and Command Line interfaces.

~~TOC~~

[start](#)
[start](#)
[start](#)
[start](#)
[start](#)
[start](#)
[Replication](#)
[Reports](#)
[Security](#)
[Slotting](#)
[Synchronization](#)
[Tape Management](#)
[TapeMaster](#)

Apache

- [Running TapeTrack Utilities via Apache CGI](#)

Barcodes

- [Barcode Definition Examples](#)
- [Barcode Processing](#)
- [Barcodes Longer Than 10 Characters In Length](#)
- [Modulo 43 Barcodes](#)
- [MT2090 Setup](#)
- [Printing Barcodes](#)
- [Printing Unqualified Barcode Labels](#)

CGI

- [Running TapeTrack Utilities via Apache CGI](#)

Checkpoint

- [Adding And Removing Registry Key Checkpoint Start-up](#)
- [Changing Connection Port Allocation](#)
- [Control Keys](#)

- [Desktop Login Options](#)
- [Function Keys](#)
- [Labelling Storage](#)
- [One Time Password - 2FA](#)
- [Program Failure](#)
- [Setting Environmental Variables](#)
- [Upgrading Checkpoint](#)

Command Line

- [Creating A PDF Report](#)
- [PDF Output Error Codes](#)
- [Program Failure](#)
- [TMSS10VolumeDelete Examples](#)
- [Volumes Added Within A Defined Date Range, Currently Located In A Selected Repository](#)

Connection

- [Desktop Login Options](#)
- [Opening TapeTrack Desktop Software Via Web Browser](#)

Configuration

- [Add Or Remove Flags Based Off Last Read Time](#)
- [Configuration File](#)
- [Desktop Software Configuration File](#)
- [Lite Configuration File](#)
- [Remove Slot Level Display In TapeMaster](#)
- [Renaming Volume-ID's Using A Batch File](#)
- [Setting Environmental Variables](#)
- [Sharing Containers Between Customers With Lite Scan-Out](#)
- [Slot Numbering](#)
- [Volumes Added Within A Defined Date Range, Currently Located In A Selected Repository](#)

Database

- [Clearing The Database](#)
- [Clearing The Entire Database](#)
- [Database Output Files](#)
- [Removing Volume Indexes](#)
- [Removing Volumes, History And Attributes](#)
- [Server Installer Variables](#)

Files

- [Extracting a TapeTrack MSI from the setup.exe](#)
- [Transferring files via SFTP](#)

Framework Server

- [Changing Connection Port Allocation](#)
- [Database Output Files](#)
- [Decommissioning Server Replication](#)
- [Disable The Replication Subsystem](#)
- [Disabling Journal And Volume History Entries](#)
- [eBPF Configuration](#)
- [Framework Server Command Line Arguments](#)
- [GeolP](#)
- [Migrating TapeTrack To A New Server](#)
- [One Time Password - 2FA](#)
- [Removing Volume History](#)
- [Removing Volume Indexes](#)
- [Removing Volumes, History And Attributes](#)
- [Server: Anti-Throttle and Anti-Hacking](#)
- [Upgrading](#)
- [Upgrading Framework Server](#)

Import Export

- [Excel Import - Container Table](#)
- [Importing Volumes And Volume Data From Excel Spreadsheets](#)

Information

- [The Problem with Tape Management](#)

Installation

- [Add TapeTrack Sync And Utilities To Linux](#)
- [Extracting a TapeTrack MSI from the setup.exe](#)
- [Installing Linux i686](#)
- [Installing Lite](#)
- [Installing TapeMaster](#)
- [Installing TapeTrack Via Repository](#)

Journal

- [Disabling Journal And Volume History Entries](#)
- [Filtering Journal Output](#)

Lite

- [Adding A New User](#)
- [Adding And Removing Registry Key Lite Start-up](#)
- [Adding New Volumes In Lite](#)
- [Adding Registry Key For Desktop Software Start-up Conformation](#)
- [Changing Connection Port Allocation](#)
- [Control Keys](#)
- [Creating Reports](#)
- [Desktop Login Options](#)
- [Desktop Software Configuration File](#)
- [Function Keys](#)
- [Importing Volumes And Volume Data From Excel Spreadsheets](#)
- [Installing Lite](#)
- [Lite Configuration File](#)
- [One Time Password - 2FA](#)
- [Pattern Matching And Filter Strings](#)
- [Reports - Repository](#)
- [Setting A Password](#)
- [Setting Environmental Variables](#)
- [Setting Expiry Dates](#)
- [Sharing Containers Between Customers With Lite Scan-Out](#)
- [Upgrading Lite](#)
- [User Access Rights](#)
- [User Groups](#)

Labelling

- [Labelling Gemtrac Racks](#)
- [Labelling Promedia Drawers](#)
- [Labelling Storage](#)

Linux

- [Add TapeTrack Sync And Utilities To Linux](#)
- [eBPF Configuration](#)
- [Executing Sync Using Netcat](#)
- [Installing Linux i686](#)
- [Installing TapeTrack Via Repository](#)

- [Linux Shared Objects](#)
- [Netcat on Linux](#)
- [Running Syncs with incron](#)
- [Server: Anti-Throttle and Anti-Hacking](#)
- [Setting Environmental Variables](#)

Odpapi-v1 Adapter

- [Odpapi-v1 Adapter](#)

Program Failure

- [Program Failure](#)

Reconciliation

- [Certificates - Export](#)

Registry

- [Adding And Removing Registry Key Checkpoint Start-up](#)
- [Adding And Removing Registry Key Lite Start-up](#)
- [Adding And Removing Registry Key TapeMaster Start-up](#)
- [Adding Registry Key For Desktop Software Start-up Conformation](#)
- [Decommissioning Server Replication](#)
- [Disable The Replication Subsystem](#)
- [Disabling Journal And Volume History Entries](#)
- [Editing The Registry](#)
- [TapeMaster Startup Message](#)

Replication

- [Decommissioning Server Replication](#)
- [Disable The Replication Subsystem](#)

Reports

- [Certificates - Export](#)
- [Creating Reports](#)
- [Export User-ID's](#)
- [Inventory Examples](#)
- [List Storage History Reports](#)
- [Opening Windows Command Line Prompt](#)
- [Opening Windows PowerShell Prompt](#)
- [Reports - Inventory](#)

- [Reports - Repository](#)
- [Reports - Zones](#)
- [Running TapeTrack Utilities via Apache CGI](#)
- [Server Installer Variables](#)
- [TMSS10LogStatsProcess Reports](#)

Security

- [eBPF Configuration](#)
- [Server: Anti-Throttle and Anti-Hacking](#)
- [The Problem with Tape Management](#)

Slotting

- [Adjusting Slot Allocation](#)
- [Cannot update slot to zero](#)
- [Labelling Gemtrac Racks](#)
- [Labelling Promedia Drawers](#)
- [Labelling Storage](#)
- [Preparing Racking And Volumes For Slotting](#)
- [Re-slotting Volumes Within The Same Repository](#)
- [Remove Slot Level Display In TapeMaster](#)
- [Scan To Slot Via Repository Usage Map](#)
- [Scan To Slot Via Special Operations Slot Allocation](#)
- [Slot Numbering](#)

Synchronization

- [Add TapeTrack Sync And Utilities To Linux](#)
- [Executing Sync Using Netcat](#)
- [Labelling Gemtrac Racks](#)
- [Labelling Promedia Drawers](#)
- [Netcat on Linux](#)
- [Running Syncs with incron](#)
- [User Access Rights](#)

Tape Management

- [The Problem with Tape Management](#)

TapeMaster

TapeMaster Configuration

- [Configuring TapeMaster Commands](#)
- [Control Keys](#)
- [Desktop Software Configuration File](#)
- [Function Keys](#)
- [Hiding Objects](#)
- [TapeMaster Startup Message](#)

TapeMaster Export

- [Certificates - Export](#)
- [Create Export File](#)
- [Export License](#)
- [Printing Unqualified Barcode Labels](#)

TapeMaster General

- [Barcode Definition Examples](#)
- [Opening TapeTrack Desktop Software Via Web Browser](#)
- [Setting Expiry Dates](#)

TapeMaster Error

- [Program Failure](#)

TapeMaster Filter

- [Pattern Matching And Filter Strings](#)

TapeMaster Reports

- [Creating Reports](#)
- [Reports - Inventory](#)
- [Reports - Repository](#)
- [Setting Environmental Variables](#)

TapeMaster Slots

- [Adjusting Slot Allocation](#)
- [Cannot update slot to zero](#)
- [Re-slotting Volumes Within The Same Repository](#)
- [Remove Slot Level Display In TapeMaster](#)
- [Scan To Slot Via Repository Usage Map](#)
- [Slot Numbering](#)

TapeMaster Upgrade

- [Upgrading TapeMaster](#)

TapeMaster Users

- [Adding A New User](#)
- [Export User-ID's](#)
- [One Time Password - 2FA](#)
- [User Access Rights](#)
- [User Groups](#)

TapeMaster Volumes

- [Hiding Volumes](#)
- [Importing Volumes And Volume Data From Excel Spreadsheets](#)
- [Move Volumes By Expiry Date](#)
- [Moving Volumes Automatically By Move Date](#)
- [Restricting Allowable Volume-ID's](#)
- [Restricting Which Volume-ID's Can Be Moved To A Repository.](#)

Users And Groups

- [Adding A New User](#)
- [Setting A Password](#)
- [User Access Rights](#)
- [User Groups](#)

Variables

- [Server Installer Variables](#)
- [Setting Environmental Variables](#)

Visual C++ Runtime

- [Microsoft Visual C++ 2015 - 2022 Redistributable Package](#)
- [Upgrading](#)

All Technotes

- [Add Or Remove Flags Based Off Last Read Time](#)
- [Add TapeTrack Sync And Utilities To Linux](#)
- [Adding A New User](#)
- [Adding And Removing Registry Key Checkpoint Start-up](#)
- [Adding And Removing Registry Key Lite Start-up](#)
- [Adding And Removing Registry Key TapeMaster Start-up](#)
- [Adding New Volumes In Lite](#)
- [Adding Registry Key For Desktop Software Start-up Conformation](#)
- [Adjusting Slot Allocation](#)

- [Barcode Definition Examples](#)
- [Barcode Processing](#)
- [Barcodes Longer Than 10 Characters In Length](#)
- [Batch Files](#)
- [Cannot update slot to zero](#)
- [Certificates - Export](#)
- [Changing Connection Port Allocation](#)
- [Clearing The Database](#)
- [Clearing The Entire Database](#)
- [Configuration File](#)
- [Configuring TapeMaster Commands](#)
- [Control Keys](#)
- [Create Export File](#)
- [Creating A PDF Report](#)
- [Creating Reports](#)
- [Database Output Files](#)
- [Decommissioning Server Replication](#)
- [Deleting Volumes](#)
- [Desktop Login Options](#)
- [Desktop Software Configuration File](#)
- [Diagnosing Command Line Utilities](#)
- [Disable The Replication Subsystem](#)
- [Disabling Journal And Volume History Entries](#)
- [eBPF Configuration](#)
- [Editing The Registry](#)
- [Excel Import - Container Table](#)
- [Executing Sync Using Netcat](#)
- [Export License](#)
- [Export User-ID's](#)
- [Extracting a TapeTrack MSI from the setup.exe](#)
- [Filtering Journal Output](#)
- [Framework Server Command Line Arguments](#)
- [Function Keys](#)
- [FUZZY Matching](#)
- [GeolP](#)
- [Hiding Customers](#)
- [Hiding Media Types](#)
- [Hiding Objects](#)
- [Hiding Volumes](#)
- [Importing Volumes And Volume Data From Excel Spreadsheets](#)
- [Installing Linux i686](#)
- [Installing Lite](#)
- [Installing TapeMaster](#)
- [Installing TapeTrack Via Repository](#)

- [Inventory Examples](#)
- [Labelling Gemtrac Racks](#)
- [Labelling Promedia Drawers](#)
- [Labelling Storage](#)
- [Linux Shared Objects](#)
- [LIST Matching \(Using External Pattern Files\)](#)
- [List Storage History Reports](#)
- [Lite Configuration File](#)
- [Microsoft Visual C++ 2015 - 2022 Redistributable Package](#)
- [Migrating TapeTrack To A New Server](#)
- [Modulo 43 Barcodes](#)
- [Move Volumes By Expiry Date](#)
- [Moving Volumes Automatically By Move Date](#)
- [MT2090 Setup](#)
- [Netcat on Linux](#)
- [Odpapi-v1 Adapter](#)
- [One Time Password - 2FA](#)
- [Opening TapeTrack Desktop Software Via Web Browser](#)
- [Opening Windows Command Line Prompt](#)
- [Opening Windows PowerShell Prompt](#)
- [Pattern Matching And Filter Strings](#)
- [PDF Output Error Codes](#)
- [Preparing Racking And Volumes For Slotting](#)
- [Printing Barcodes](#)
- [Printing Unqualified Barcode Labels](#)
- [Program Failure](#)
- [Re-slotting Volumes Within The Same Repository](#)
- [REG Matching](#)
- [Remove Slot Level Display In TapeMaster](#)
- [Removing Volume History](#)
- [Removing Volume Indexes](#)
- [Removing Volumes, History And Attributes](#)
- [Renaming Volume-ID's Using A Batch File](#)
- [Report Output Formats](#)
- [Reports - Inventory](#)
- [Reports - Repository](#)
- [Reports - Zones](#)
- [Restricting Allowable Volume-ID's](#)
- [Restricting Which Volume-ID's Can Be Moved To A Repository.](#)
- [Running Syncs with incron](#)
- [Running TapeTrack Utilities via Apache CGI](#)
- [Scan To Slot Via Repository Usage Map](#)
- [Scan To Slot Via Special Operations Slot Allocation](#)
- [Server Installer Variables](#)

- [Server: Anti-Throttle and Anti-Hacking](#)
- [Setting A Password](#)
- [Setting Environmental Variables](#)
- [Setting Expiry Dates](#)
- [Sharing Containers Between Customers With Lite Scan-Out](#)
- [Slot Numbering](#)
- [TapeMaster Startup Message](#)
- [TapeTrack Configuration](#)
- [The Problem with Tape Management](#)
- [TMSS10LibraryHealth Reports](#)
- [TMSS10ListCatalog Reports](#)
- [TMSS10ListConsignments Reports](#)
- [TMSS10ListDRStrategies Reports](#)
- [TMSS10ListHistory Reports](#)
- [TMSS10ListMoveHistory Reports](#)
- [TMSS10ListStorageHistory Reports](#)
- [TMSS10LogStatsProcess Reports](#)
- [TMSS10MoveList Reports](#)
- [TMSS10VolumeDelete Examples](#)
- [Transferring files via SFTP](#)
- [Upgrading](#)
- [Upgrading Checkpoint](#)
- [Upgrading Framework Server](#)
- [Upgrading Lite](#)
- [Upgrading Server Utilities](#)
- [Upgrading TapeMaster](#)
- [User Access Rights](#)
- [User Groups](#)
- [Using Windows Scheduler To Execute A Batch File](#)
- [Volumes Added Within A Defined Date Range, Currently Located In A Selected Repository](#)

From:

<https://rtfm.tapetrack.com/> - **TapeTrack Documentation**

Permanent link:

<https://rtfm.tapetrack.com/technote?rev=1784083149>

Last update: **2026/07/15 02:39**

