


# Troubleshooter: Deleting Volumes

The purpose of this troubleshooter is to diagnose why volumes in TapeTrack cannot be deleted.

To diagnose why you cannot delete volumes, select the error presented:


Security does not allow this operation

The error **Security does not allow this operation** indicates your User-ID does not have sufficient access rights to delete volumes from TapeTrack.




To remove volumes from TapeTrack you will need to either:

- Have you administrator [raise your access](#) to include **Alter** rights.
- Have a user with **Alter** rights remove the volumes for you.



#### Actual Repository does not allow volume delete


The error **Actual Repository does not allow volume delete** indicates that the repository option **Allow deletes** is set to false. This option is set to false by default to limit the ability of accidental deletion of volumes.



It is best practice to keep **Allow Deletes** set to False unless in the actual process of deleting volumes. This keeps a safeguard on accidental deletion during normal operation.

To enable volume deletion:

- Right click required repository and select Properties or double-click repository.
- Select Options tab.
- Set **Allow Deletes** to True for the required repository.
- Click Save to confirm alterations.



From:

<https://rtfm.tapetrack.com/> - TapeTrack Documentation

Permanent link:

[https://rtfm.tapetrack.com/troubleshooting/delete\\_volumes?rev=1553792575](https://rtfm.tapetrack.com/troubleshooting/delete_volumes?rev=1553792575)

Last update: 2025/01/21 22:07

