


Troubleshooter: Deleting Volumes

The purpose of this troubleshooter is to diagnose why volumes in TapeTrack cannot be deleted.

To diagnose why you cannot delete volumes, select the error presented:


Security does not allow this operation

The error Security does not allow this operation indicates your [User-ID](#) does not have sufficient access rights to delete volumes from TapeTrack.




To delete [Volumes](#) from TapeTrack you will need to either:

- Have you Administrator [raise your access](#) to include `Alter` rights.
- Have a user with `Alter` rights remove the [Volumes](#) for you.



Actual Repository Does Not Allow Volume Deletes


The error Actual Repository does not allow volume delete indicates that the [Repository Option Allow deletes](#) is set to false. This option is set to false by default to limit the ability of accidental deletion of [Volumes](#).



It is best practice to keep Allow Deletes set to False unless in the actual process of deleting [Volumes](#). This keeps a safeguard on accidental deletion during normal operation.

To enable [Volumes](#) deletion:

- Right click required [Repository](#) and select Properties or double-click repository.
- Select Options tab.
- Set Allow Deletes to True for the required [Repository](#).
- Click Save to confirm alterations.



←-

From: <https://rtfm.tapetrack.com/> - **TapeTrack Documentation**

Permanent link: https://rtfm.tapetrack.com/troubleshooting/delete_volumes?rev=1555374658

Last update: **2025/01/21 22:07**

