

# Diagnosing Connection Problems

## Check TapeTrack Service is running

### Windows

Service is running.

```
C:\WINDOWS\system32>sc query "TMSS10SVC"

SERVICE_NAME: TMSS10SVC
        TYPE               : 10  WIN32_OWN_PROCESS
        STATE                : 4   RUNNING
                        (STOPPABLE, NOT_PAUSABLE, IGNORES_SHUTDOWN)
        WIN32_EXIT_CODE       : 0   (0x0)
        SERVICE_EXIT_CODE   : 0   (0x0)
        CHECKPOINT           : 0x0
        WAIT_HINT            : 0x0
```

Service is not running.

```
C:\Users\diff1>sc query "TMSS10SVC"

SERVICE_NAME: TMSS10SVC
        TYPE               : 10  WIN32_OWN_PROCESS
        STATE                : 1   STOPPED
        WIN32_EXIT_CODE       : 0   (0x0)
        SERVICE_EXIT_CODE   : 0   (0x0)
        CHECKPOINT           : 0x0
        WAIT_HINT            : 0x0
```

If the Framework Server is not running, attempt to [start the Framework Server](#) and then check your connection again.

### Linux

From a command prompt run:

```
systemctl list-units --type=service
```

Look through the output to find the `tapetrack.service` and the status next to it.

Service is running

```
tapetrack.service                                loaded active running SYSV: TapeTrack
```

## server daemon

Service is not running

```
tapetrack.service          loaded failed failed   SYSV: TapeTrack
server daemon
```

If the Framework Server is not running, attempt to [start the Framework Server](#) and then check your connection again.

## Ping with TMSS10Ping

Ping the TapeTrack Framework Server with TMSS10Ping, using localhost if run on the same server or the IP or DNS of the server if run from another computer.

```
C:\WINDOWS\system32>TMSS10Ping localhost
44 bytes from 127.0.0.1: seq=1 time=6.00 ms
44 bytes from 127.0.0.1: seq=2 time=0.00 ms
44 bytes from 127.0.0.1: seq=3 time=0.00 ms
44 bytes from 127.0.0.1: seq=4 time=0.00 ms

--- localhost TMSS10Ping statistics ---
4 packets transmitted
round-trip min/avg/max = 0.00/1.50/6.00 ms
```

## Check TapeTrack is listening on port 5000.

```
netstat -abn | more
...
[svchost.exe]
  TCP    0.0.0.0:5000          0.0.0.0:0           LISTENING
  [TMSS10Server.exe]
...

```

In this case:

1. The service was running.
2. TMSS10Ping was blocking (hanging).
3. TapeTrack was on port 5000, which means it was up and listening.

This is most definitely a Firewall problem.

If you do not have access to change the Windows Firewall rules check with your Windows Admin team.

From:  
<https://rtfm.tapetrack.com/> - **TapeTrack Documentation**

Permanent link:  
[https://rtfm.tapetrack.com/troubleshooting/diagnosing\\_connection\\_problems?rev=1630459464](https://rtfm.tapetrack.com/troubleshooting/diagnosing_connection_problems?rev=1630459464)

Last update: **2025/01/21 22:07**

