

Environmental Variables

The TapeTrack [Desktop](#) and [Command Line Programs](#) can be influenced in their behavior by setting [Environmental Variables](#).

The [Environmental Variables](#) can be set in Windows Command Line, batch files, PowerShell files and Linux environment by using the appropriate formats.

For more information on setting [Environmental Variables](#) see this [Technical Note](#).

Environmental Variables

- [Setting Environmental Variables](#)
- [TMSS10BACK](#)
- [TMSS10DB](#)
- [TMSS10REPORTS](#)
- [TMSS10SCRIPTS](#)
- [TMSSAPILOGDIR](#)
- [TMSSATTRIBUTENOCASELOOKUP](#)
- [TMSSBARCODEPARSESPACEOK](#)
- [TMSSBEEP](#)
- [TMSSCMDSTRING](#)
- [TMSSCONFIGFILE](#)
- [TMSSCSVNOHEADER](#)
- [TMSSDESCRIPTIONTEXT](#)
- [TMSSDROPREPORT](#)
- [TMSSEXCELOUTPUTPATH](#)
- [TMSSINETD](#)
- [TMSSKERBEROS](#)
- [TMSSLEVELNAMES](#)
- [TMSSNOLEVELSLOT](#)
- [TMSSNOMD5](#)
- [TMSSPDFBLANKPAGETEXT](#)
- [TMSSPDFCOLORHDR](#)
- [TMSSPDFLOGOPATH](#)
- [TMSSPDFORIENTATION](#)
- [TMSSPDFOUTPUTPATH](#)
- [TMSSPDFPAGESIZE](#)
- [TMSSPRINTRAWINPUT](#)
- [TMSSPROGRESSDISABLE](#)
- [TMSSPWPATH](#)
- [TMSSRECONCILETEXT](#)
- [TMSSREPORTCOLUMNDELETE](#)

- [TMSREPORTFORMAT](#)
- [TMSREPORTHTMLLOGO](#)
- [TMSREPORTTITLE](#)
- [TMSSCANFILENOPARSE](#)
- [TMSSCANFILEUNQUALIFIED](#)
- [TMSSERVERPROXY](#)
- [TMSSLACKICON](#)
- [TMSSLACKNOTES](#)
- [TMSSLACKONERROR](#)
- [TMSSLACKURL](#)
- [TMSSLACKUSER](#)
- [TMSSTDERRDIR](#)
- [TMSSTDERRNOCOLOR](#)
- [TMSSTDERRTERMINAL](#)
- [TMSUNQUALIFIEDVOLUME](#)
- [TMSUSERINHERIT](#)

CSV Report Environmental Variables

- [TMS10REPORTS](#)
- [TMSSCSVNOHEADER](#)
- [TMSDESCRIPTIONTEXT](#)
- [TMSDROPREPORT](#)
- [TMSREPORTCOLUMNDELETE](#)
- [TMSREPORTFORMAT](#)
- [TMSREPORTTITLE](#)
- [TMSUNQUALIFIEDVOLUME](#)

Excel Report Environmental Variables

- [TMS10REPORTS](#)
- [TMSDESCRIPTIONTEXT](#)
- [TMSDROPREPORT](#)
- [TMSEXCELOUTPUTPATH](#)
- [TMSREPORTCOLUMNDELETE](#)
- [TMSREPORTFORMAT](#)
- [TMSREPORTTITLE](#)
- [TMSUNQUALIFIEDVOLUME](#)

PDF Report Environmental Variables

- [TMS10REPORTS](#)

- [TMSSDESCRIPTIONTEXT](#)
- [TMSSDROPREPORT](#)
- [TMSSPDFBLANKPAGETEXT](#)
- [TMSSPDFCOLORHDR](#)
- [TMSSPDFLOGOPATH](#)
- [TMSSPDFORIENTATION](#)
- [TMSSPDFOUTPUTPATH](#)
- [TMSSPDFPAGESIZE](#)
- [TMSREPORTCOLUMNDELETE](#)
- [TMSREPORTFORMAT](#)
- [TMSREPORTTITLE](#)
- [TMSUNQUALIFIEDVOLUME](#)

Slack Environmental Variables


- [TMSSSLACKICON](#)
- [TMSSSLACKNOTES](#)
- [TMSSSLACKONERROR](#)
- [TMSSSLACKURL](#)
- [TMSSSLACKUSER](#)

Path Environmental Variables

- [TMSS10BACK](#)
- [TMSS10DB](#)
- [TMSS10SCRIPTS](#)
- [TMSSAPILOGDIR](#)
- [TMSSCONFIGFILE](#)
- [TMSSEXCELOUTPUTPATH](#)
- [TMSSPDFLOGOPATH](#)
- [TMSSPDFOUTPUTPATH](#)
- [TMSSPWPATH](#)
- [TMSREPORTHTMLLOGO](#)

Linux Environmental Variables

- [Linux Shared Objects](#)



From:

<https://rtfm.tapetrack.com/> - **TapeTrack Documentation**

Permanent link:

<https://rtfm.tapetrack.com/variable/start?rev=1643331301>

Last update: **2025/01/21 22:07**

