

# TMSSLEVELNAMES

**TMSSLEVELNAMES** allows, via configuration files or command line interface, to map zone levels numbers to string values.

## Example

Using TMSS10Inventory to display LTO volumes currently as repository OFFS from customer US04.

```
TMSS10Inventory -S user:-password@server -V "US04.LTO.*@OFFS"
```

## Output

```
System: TapeTrack
Report Description: Inventory List
Report Notes: Customer(Nashville Data Center) Media Type(LTO
Cartridge)
Production Time: Monday, June 18, 2018 - 11:25:39 (AUS Eastern Standard
Time)
Report Width: 161 bytes
```

Seq.	Barcode	Location	Repository
Next Move	Days	Last Move	GDup CDup Container
[1]	1 US04.LTO.000001L5	GT1 [1.1]	Offsite Vault
		2018-06-18 10:13	6 2
[2]	2 US04.LTO.000002L5	GT1 [1.2]	Offsite Vault
		2018-06-18 10:13	5 1
[3]	3 US04.LTO.000003L5	GT1 [1.3]	Offsite Vault
		2018-06-18 10:13	5 1
[5]	4 US04.LTO.000004L5	GT1 [1.5]	Offsite Vault
		2018-06-18 10:13	5 1

Setting TMSSLEVELNAMES to A, B, C before running TMSS10Inventory to change level names from 1, 2, 3 etc.

From:  
<https://rtfm.tapetrack.com/> - **TapeTrack Documentation**

Permanent link:  
<https://rtfm.tapetrack.com/variable/tmslevelnames?rev=1529285318>

Last update: **2025/01/21 22:07**

