

TMSLEVELNAMES

TMSLEVELNAMES allows, via configuration files or command line interface, to map zone levels numbers to string values.

Example

Using TMS10Inventory to display LTO volumes currently as repository OFFS from customer US04.

```
TMS10Inventory -S user:-password@server -V "US04.LTO.*@OFFS"
```

Output

```

                System: TapeTrack
Report Description: Inventory List
    Report Notes: Customer(Nashville Data Center) Media Type(LTO
Cartridge)
    Production Time: Monday, June 18, 2018 - 11:25:39 (AUS Eastern Standard
Time)
    Report Width: 161 bytes

```

| Seq. | Barcode | Location | Repository |
|-----------|---------------------|------------------|---------------------|
| Next Move | Days | Last Move | GDup CDup Container |
| [1] | 1 US04.LTO.000001L5 | GT1 [1.1] | Offsite Vault |
| | | 2018-06-18 10:13 | 6 2 |
| [2] | 2 US04.LTO.000002L5 | GT1 [1.2] | Offsite Vault |
| | | 2018-06-18 10:13 | 5 1 |
| [3] | 3 US04.LTO.000003L5 | GT1 [1.3] | Offsite Vault |
| | | 2018-06-18 10:13 | 5 1 |
| [5] | 4 US04.LTO.000004L5 | GT1 [1.5] | Offsite Vault |
| | | 2018-06-18 10:13 | 5 1 |

Setting TMSLEVELNAMES to A, B, C before running TMS10Inventory to change level names from 1, 2, 3 etc. TMS10Inventory to display LTO volumes currently as repository OFFS from customer US04.



When setting variables makes sure there are no spaces. For example use set **TMSLEVELNAMES=A,B,C** not set **TMSLEVELNAMES = A,B,C**

```
set TMSLEVELNAMES=A,B,C
TMS10Inventory -S user:-password@server -V "US04.LT0.*@OFFS"
```

Output

```
System: TapeTrack
Report Description: Inventory List
Report Notes: Customer(Nashville Data Center) Media Type(LT0
Cartridge)
Production Time: Monday, June 18, 2018 - 11:31:27 (AUS Eastern Standard
Time)
Report Width: 161 bytes
```

| Seq. | Barcode | Location | Repository |
|-----------|---------------------|------------------|---------------------|
| Next Move | Days | Last Move | GDup CDup Container |
| [1] | 1 US04.LT0.000001L5 | GT1 [A.1] | Offsite Vault |
| | | 2018-06-18 10:13 | 6 2 |
| [2] | 2 US04.LT0.000002L5 | GT1 [A.2] | Offsite Vault |
| | | 2018-06-18 10:13 | 5 1 |
| [3] | 3 US04.LT0.000003L5 | GT1 [A.3] | Offsite Vault |
| | | 2018-06-18 10:13 | 5 1 |
| [5] | 4 US04.LT0.000004L5 | GT1 [A.5] | Offsite Vault |
| | | 2018-06-18 10:13 | 5 1 |

From: <https://rtfm.tapetrack.com/> - **TapeTrack Documentation**

Permanent link: <https://rtfm.tapetrack.com/variable/tmslevelnames?rev=1529285783>

Last update: **2025/01/21 22:07**

