

TMSSLEVELNAMES

TMSSLEVELNAMES allows, via configuration files or command line interface, to map zone level numbers to string values.

Example

Using TMSS10Inventory to display LTO volumes currently at repository OFFS from customer US04.

```
TMSS10Inventory -S user:-password@server -V "US04.LTO.*@OFFS"
```

Output

```

                System: TapeTrack
Report Description: Inventory List
      Report Notes: Customer(Nashville Data Center) Media Type(LTO
Cartridge)
      Production Time: Monday, June 18, 2018 - 11:25:39 (AUS Eastern Standard
Time)
      Report Width: 161 bytes

```

| Seq. | Barcode | Location | Repository |
|-----------|---------------------|------------------|---------------------|
| Next Move | Days | Last Move | GDup CDup Container |
| [1] | 1 US04.LTO.000001L5 | GT1 [1.1] | Offsite Vault |
| | | 2018-06-18 10:13 | 6 2 |
| [2] | 2 US04.LTO.000002L5 | GT1 [1.2] | Offsite Vault |
| | | 2018-06-18 10:13 | 5 1 |
| [3] | 3 US04.LTO.000003L5 | GT1 [1.3] | Offsite Vault |
| | | 2018-06-18 10:13 | 5 1 |
| [5] | 4 US04.LTO.000004L5 | GT1 [1.5] | Offsite Vault |
| | | 2018-06-18 10:13 | 5 1 |

Setting TMSSLEVELNAMES to A, B, C before running TMSS10Inventory to change level names from 1, 2, 3 etc. TMSS10Inventory to display LTO volumes currently as repository OFFS from customer US04.



When setting variables makes sure there are no spaces. For example use **set TMSSEVELNAMES=A,B,C** not **set TMSSEVELNAMES = A,B,C**

```
set TMSSEVELNAMES=A,B,C
TMSSE10Inventory -S user:-password@server -V "US04.LT0.*@OFFS"
```

Output

```
System: TapeTrack
Report Description: Inventory List
Report Notes: Customer(Nashville Data Center) Media Type(LT0
Cartridge)
Production Time: Monday, June 18, 2018 - 11:31:27 (AUS Eastern Standard
Time)
Report Width: 161 bytes
```

| Seq. | Barcode | Location | Repository |
|-----------|---------------------|------------------|---------------------|
| Next Move | Days | Last Move | GDup CDup Container |
| [1] | 1 US04.LT0.000001L5 | GT1 [A.1] | Offsite Vault |
| | | 2018-06-18 10:13 | 6 2 |
| [2] | 2 US04.LT0.000002L5 | GT1 [A.2] | Offsite Vault |
| | | 2018-06-18 10:13 | 5 1 |
| [3] | 3 US04.LT0.000003L5 | GT1 [A.3] | Offsite Vault |
| | | 2018-06-18 10:13 | 5 1 |
| [5] | 4 US04.LT0.000004L5 | GT1 [A.5] | Offsite Vault |
| | | 2018-06-18 10:13 | 5 1 |

See Also

- [TMSSENOLEVELSLOT](#)

From:
<https://rtfm.tapetrack.com/> - **TapeTrack Documentation**

Permanent link:
<https://rtfm.tapetrack.com/variable/tmsslevelnames?rev=1534212015>

Last update: **2025/01/21 22:07**

