

TMSSLEVELNAMES

TMSSLEVELNAMES allows, via Configuration files or [Command Line Programs](#), to map Zone level numbers to string values.

Example

Using [TMSS10Inventory](#) to display LTO [Volumes](#) currently at [Repository](#) OFFS from [Customer](#) US04.

```
TMSS10Inventory -S user:-password@server -V "US04.LT0.*@OFFS"
```

Output

```
System: TapeTrack
Report Description: Inventory List
Report Notes: Customer(Nashville Data Center) Media Type(LT0
Cartridge)
Production Time: Monday, June 18, 2018 - 11:25:39 (AUS Eastern Standard
Time)
Report Width: 161 bytes
```

| Seq. | Barcode | Location | Repository |
|-----------|---------------------|------------------|---------------------|
| Next Move | Days | Last Move | GDup CDup Container |
| [1] | 1 US04.LT0.000001L5 | GT1 [1.1] | Offsite Vault |
| | | 2018-06-18 10:13 | 6 2 |
| [2] | 2 US04.LT0.000002L5 | GT1 [1.2] | Offsite Vault |
| | | 2018-06-18 10:13 | 5 1 |
| [3] | 3 US04.LT0.000003L5 | GT1 [1.3] | Offsite Vault |
| | | 2018-06-18 10:13 | 5 1 |
| [5] | 4 US04.LT0.000004L5 | GT1 [1.5] | Offsite Vault |
| | | 2018-06-18 10:13 | 5 1 |

Setting TMSSLEVELNAMES to A, B, C before running [TMSS10Inventory](#) to change level names from 1, 2, 3 etc. [TMSS10Inventory](#) to display LTO [Volumes](#) currently as [Repository](#) OFFS from [Customer](#) US04.

```
set TMSSEVELNAMES=A,B,C
TMSS10Inventory -S user:-password@server -V "US04.LT0.*@OFFS"
```

Output

System: TapeTrack
Report Description: Inventory List
Report Notes: Customer(Nashville Data Center) Media Type(LT0 Cartridge)
Production Time: Monday, June 18, 2018 - 11:31:27 (AUS Eastern Standard Time)
Report Width: 161 bytes

| Seq. | Barcode | Location | Repository |
|-----------|---------------------|------------------|---------------------|
| Next Move | Days | Last Move | GDup CDup Container |
| [1] | 1 US04.LT0.000001L5 | GT1 [A.1] | Offsite Vault |
| | | 2018-06-18 10:13 | 6 2 |
| [2] | 2 US04.LT0.000002L5 | GT1 [A.2] | Offsite Vault |
| | | 2018-06-18 10:13 | 5 1 |
| [3] | 3 US04.LT0.000003L5 | GT1 [A.3] | Offsite Vault |
| | | 2018-06-18 10:13 | 5 1 |
| [5] | 4 US04.LT0.000004L5 | GT1 [A.5] | Offsite Vault |
| | | 2018-06-18 10:13 | 5 1 |

See Also

- [TMSSELEVELSLOT](#)
- [Setting environmental variables](#)

[environmental variables, connecting](#)

From: <https://rtfm.tapetrack.com/> - **TapeTrack Documentation**

Permanent link: <https://rtfm.tapetrack.com/variable/tmsslevelnames?rev=1553740425>

Last update: **2025/01/21 22:07**

