

# TMSSLEVELNAMES

The [environmental variable](#) TMSSLEVELNAMES allows, via Configuration files or [Command Line Programs](#), to map [Zone](#) level numbers to string values.

## Example

Using [TMSS10Inventory](#) to display LTO [Volumes](#) currently at [Repository](#) OFFS from [Customer](#) US04.

```
TMSS10Inventory -S user:-password@server -V "US04.LT0.*@OFFS"
```

## Output

```

                System: TapeTrack
Report Description: Inventory List
      Report Notes: Customer(Nashville Data Center) Media Type(LT0
Cartridge)
      Production Time: Monday, June 18, 2018 - 11:25:39 (AUS Eastern Standard
Time)
      Report Width: 161 bytes

```

Seq.	Barcode	Location	Repository
Next Move	Days	Last Move	GDup CDup Container
[1]	1 US04.LT0.000001L5	GT1 [1.1]	Offsite Vault
		2018-06-18 10:13	6 2
[2]	2 US04.LT0.000002L5	GT1 [1.2]	Offsite Vault
		2018-06-18 10:13	5 1
[3]	3 US04.LT0.000003L5	GT1 [1.3]	Offsite Vault
		2018-06-18 10:13	5 1
[5]	4 US04.LT0.000004L5	GT1 [1.5]	Offsite Vault
		2018-06-18 10:13	5 1

Setting TMSSLEVELNAMES to A, B, C before running [TMSS10Inventory](#) to change level names from 1, 2, 3 etc. [TMSS10Inventory](#) to display LTO [Volumes](#) currently as [Repository](#) OFFS from [Customer](#) US04.

```
set TMSSEVELNAMES=A,B,C
TMSS10Inventory -S user:-password@server -V "US04.LT0.*@OFFS"
```

## Output

System: TapeTrack  
Report Description: Inventory List  
Report Notes: Customer(Nashville Data Center) Media Type(LT0 Cartridge)  
Production Time: Monday, June 18, 2018 - 11:31:27 (AUS Eastern Standard Time)  
Report Width: 161 bytes

Seq.	Barcode	Location	Repository
Next Move	Days	Last Move	GDup CDup Container
[1]	1 US04.LT0.000001L5	GT1 [A.1]	Offsite Vault
		2018-06-18 10:13	6 2
[2]	2 US04.LT0.000002L5	GT1 [A.2]	Offsite Vault
		2018-06-18 10:13	5 1
[3]	3 US04.LT0.000003L5	GT1 [A.3]	Offsite Vault
		2018-06-18 10:13	5 1
[5]	4 US04.LT0.000004L5	GT1 [A.5]	Offsite Vault
		2018-06-18 10:13	5 1

## See Also

- [TMSSELEVELSLOT](#)
- [Setting environmental variables](#)

[environmental variables](#), [connecting](#), [lite variable](#)

From: <https://rtfm.tapetrack.com/> - **TapeTrack Documentation**

Permanent link: <https://rtfm.tapetrack.com/variable/tmsslevelnames?rev=1565743113>

Last update: **2025/01/21 22:07**

